



Alex Wan



Wechat

(+86)13507090802



WhatsApp



Michael Hua



Wechat

(+86)15302856248



WhatsApp





Kelly



Wechat

(+86)13724616416



WhatsApp



Max Xie



Wechat

(+86)15363626400



WhatsApp



Jackt



Wechat

(+86)18928577987


**Mei Tong Flying Aluminum**  
 Guang Dong Mei Tong Flying Aluminum Co.,Ltd

www.meitongflying.com

E-mail address : meitongflyaluminum@foxmail.com

Address : LaiMeiTong Aluminium industry, Yong'an Avenue, Guanyao Town, Nanhai District, Foshan City, Guangdong Province, China.


**Mei Tong  
Flying Aluminum**

**20 YEARS**  
 FOR EXTERIOR  
 DOORS AND WINDOWS  
 INDUSTRY



## BRAND CORE VALUES

- High-End Quality Positioning
- Innovative Product R&D
- Advantages In Production And Supply
- Hardware Matching Services
- System Output Advantage



Research & Development  
 Warehouse Base For High-End Intelligent Doors  
 And Windows Aluminum Profiles

# Six reasons to choose MeiTong Flying Aluminum Co., Ltd

Cutting-edge design technology, leading the market trend benchmark.

## PREFORM EXTRUSION

We have independently constructed 50 extrusion lines to produce raw materials with high standards in a fully automated system! MeiTong Flying Aluminum guarantees your products will be worry-free!

## SPOT GOODS STOCK

With a stock of 12000 tons aluminum profiles, we are always ready to safeguard our customers! Enabling customers to achieve zero-inventory operation! MeiTong Flying Aluminum helps you save capital!

## PRODUCT ACCESSORIES

Our company not only supplies aluminum profiles, but also has all the necessary hardware accessories for all our products, even machinery and equipment. Everything is available! You don't need to search everywhere for accessories after finding the materials. MeiTong Flying Aluminum enables you to get new products all in one step!

## SURFACE SPRAYING

Independently constructing 10 surface production lines. We offer all customers the best, fastest, and most cost-effective diversified products! MeiTong Flying Aluminum equips you with the most competitive products!

## PRODUCT RESEARCH AND DEVELOPMENT

The company has adhered to a product renewal plan for 10 years like clockwork. With twice-yearly products updates and upgrades, all customers can concentrate wholeheartedly on the windows and doors business. There is no need to worry about not being able to find good products. MeiTong Flying Aluminum saves you the trouble!

## TECHNOLOGY SUPPLY

The company has a large number of designers and technicians in reserve! We can provide online assistance or on-site technical services to solve the technical problems in product production, installation and training for all new and old customers at the fastest speed!

GOOD-LOOKING, AIRTIGHT AND SAFE.

PRACTICAL, STYLISH AND

AESTHETICALLY PLEASING.



# Company Profile

MeiTong Flying Aluminum Co., Ltd combines the resources and advantages of the 9 branch companies of MeiTong ShiDai Group, taking the foreign trade business as our mission. It specializes in the wholesale of high-end product aluminum profiles and finished products such as system doors and windows, side pressure sealed window, floating sliding window, casement window, panoramic door, heavy-duty lifting sliding door, swing door, luxury sunroom and so on.

"Let outstanding door and window enterprises become our customers and let our customers become outstanding door and window enterprises" is our precise positioning for our company products.

Our powerful product development team survey the global development direction of door and window systems, grasps the core requirements of customers and leads the trend of the times.




Mei Tong Flying Aluminum

300+ SELF-DEVELOPED PATENTS CERTIFIED  
ENSURING PRODUCT QUALITY



## Cutting-Edge Design Technology




## High End Quality



## Product Catalog

|                                         |    |                                            |     |
|-----------------------------------------|----|--------------------------------------------|-----|
| 150 Panoramic Sliding Door              | 05 | 110 Thermal Break Sliding Window           | 68  |
| ZP150 Motorized Vertical Sliding Window | 15 | 120-1 Slim Casement Window                 | 73  |
| 130+195 Heavy-Duty Lift Sliding Door    | 20 | 110 / 115 Outward & Inward Casement Window | 79  |
| 130 Lift Sliding Window                 | 35 | 90-1 New Casement Window                   | 89  |
| 128 Floating Sliding Window             | 41 | 126 Side Pressure Sealed Window            | 97  |
| 40 Medium Narrow Sliding Door           | 51 | 100 Drifting Sliding Window                | 103 |
| 128 Scenery Sliding Window              | 61 |                                            |     |

# 150 # Panoramic Sliding Door >>>




## Product Features:

- ① With embedded drainage lower rail
- ② Extremely narrow design, the vertical door frame is 25mm
- ③ Super size design, the width of a single window can be 1000-3700mm, and the height can be 1000-6000mm
- ④ Super load bearing, customized pulley combination, slide wheel individual weight 170kg


## >>> 150 Panoramic Sliding Door

### Universal Profiles




#### JNW-CT1865F

intelligent electric vertical door frame  
Weight: 3.03kg/m




#### JNW-CT1801F

top frame  
Weight: 1.1kg/m




#### JNW-CT1802F

bottom frame  
Weight: 1.73kg/m




#### JNW-XT1803F

horizontal bottom frame base for roller  
Weight: 0.9kg/m




#### JNW-XT1816

side seal cover  
Weight: 0.34kg/m



#### JNW-XT1804

embedded additional rail  
Weight: 1.25kg/m




#### JNW-XT1893

panoramic door closing  
Weight: 0.6kg/m




#### JNW-XT1806F

small floating cover  
Weight: 0.17kg/m




#### JNW-XT1807

big floating cover  
Weight: 0.4kg/m




#### JNW-XT1892

lock slot  
Weight: 0.55kg/m



#### JNW-XT1808D

vertical interlock frame with handle  
Weight: 2.0kg/m



#### JNW-XT1877


drainage cover  
Weight: 0.6kg/m




(Used in three, four, five-track)

**JNW-XT1817**


side seal cover  
Weight: 0.33kg/m


**JNW-XT1890**


additional drainage slot  
Weight: 1.11kg/m


**JNW-XT1812D**


double vertical door frame with hook  
Weight: 1.46kg/m

**Double Tracks Profiles**

**JNW-CT1798F2**


double top rail and side seal  
Weight: 3.28kg/m


**JNW-CT1799F2**


double bottom rail  
Weight: 3.46kg/m


**JNW-CT1805F2**


embedded double bottom rail  
Weight: 3.53kg/m


**JNW-CT1887F2**


double track vertical drainage  
Weight: 2.98kg/m

**Three Tracks Profiles**

**JNW-CT1811F3**


triple top rail and side seal  
Weight: 5.0kg/m


**JNW-XT1909**


triple side seal middle cover  
Weight: 0.46kg/m


**JNW-CT1813F3**


triple rail bottom rail  
Weight: 5.28kg/m


**JNW-CT1805F3**


triple rail pre-embedded bottom rail  
Weight: 5.35kg/m


**JNW-CT1891F3**


triple track vertical drainage  
Weight: 4.47kg/m

**Four Tracks Profiles**

**JNW-CT1811F4**


four top rail and side seal  
Weight: 6.7kg/m


**JNW-CT1813F4**


four rail bottom rail  
Weight: 7.0kg/m

**Five Tracks Profiles**

**JNW-CT1811F5**


five top rail and side seal  
Weight: 8.4kg/m


**JNW-CT1813F5**


five rail bottom rail  
Weight: 8.85kg/m

**Double Tracks Ceramic Tile Style**

**JNW-CT1798F2**


double top rail and side seal  
Weight: 3.28kg/m


**JNW-CT1805F2**


embedded double bottom rail  
Weight: 3.53kg/m


**JNW-XT1818**

tiled horizontal bottom frame base for roller  
Weight: 1.02kg/m




**JNW-XT1810**  
tile side cover  
Weight: 0.18kg/m




**JNW-XT1815**  
tile middle cover  
Weight: 0.4kg/m


### Automatic Profiles




**JNW-CT1861F**  
intelligent additional triple top rail  
Weight: 5.77kg/m




**JNW-CT1862F**  
intelligent additional top rail  
Weight: 4.3kg/m




**JNW-CT1881F3**  
intelligent triple top rail  
Weight: 4.04kg/m



**JNW-CT1882F3**  
intelligent triple top rail  
Weight: 4.04kg/m




**JNW-XT1863**  
intelligent rail intermediate additional material  
Weight: 1.55kg/m






**JNW-XT1864**  
electric machine pallet  
Weight: 0.86kg/m

## Assembly Diagram



### Double Tracks





### Triple Tracks



### Four Tracks



### Five Tracks





three tracks



two tracks



five tracks



three tracks with drainage



three tracks without drainage

## Accessories



top track roller  
(Positioning wheel)-2pcs/panel



water proof rubber  
pad for bottom track



cap for both side vertical  
outer frame(8pcs/set)



I shape lock



anti-collision block for  
vertical handle frame



drainage cap for  
bottom track



anti-collision rubber for  
vertical interlock frame(left)



cap for vertical interlock  
frame(top & bottom)



50cm length bottom track roller  
(Load-bearing wheels)-2pcs/panel




anti-collision rubber for  
vertical interlock frame




brush strip for  
bottom track covered



sealing rubber for  
vertical interlock frame



covered rubber for  
vertical handle frame



water blocking strip for  
vertical outer frame



sealing rubber for  
vertical outer frame



Electric motor accessories set

## Automatic Options:



face recognition access control



human body induction probe automatic  
door opening and closing equipment




wireless infrared  
air sensor switch



infrared induction  
anti-pinch equipment


# ZP150 # Motorized Vertical Sliding Window >>>



## Product Features:


- ① Maximum width 4.8m, maximum height 2.5m
- ② Two motors, chain drive, wide field of view
- ③ Rain sensor, automatic closing when it rains
- ④ Infrared anti-pinch design, can be equipped with anti-mosquito screens

## >>> ZP150 Motorized Vertical Sliding Window // Mei Tong Flying Aluminum




### JNW-SJC22A

150 upper frame  
Weight: 4.04kg/m




### JNW-ZN023

screen cover  
Weight: 1.71kg/m




### JNW-SJC24A

screen upper frame  
Weight: 2.29kg/m




### JNW-SJC26A

150 side frame  
Weight: 3.34kg/m




### JNW-SJC28A

150 side frame transform  
Weight: 3.29kg/m




### JNW-ZN029

150 side frame cover  
Weight: 0.8kg/m



### JNW-ZN031

150 handrail  
Weight: 3.8kg/m




### JNW-SJC33A

150 lower frame  
Weight: 2.68kg/m




### JNW-ZN032

closing  
Weight: 1.82kg/m




### JNW-ZN034

clip  
Weight: 0.47kg/m




### JNW-ZN036

screen frame  
Weight: 0.35kg/m




### JNW-ZN035

clip  
Weight: 0.41kg/m




**JNW-ZN037**

150 cover  
Weight: 1.0kg/m




**JNW-ZN030**

screen profile  
Weight: 1.31kg/m




**JNW-ZN038**

150 upper frame cover  
Weight: 0.85kg/m




**JNW-SJC09**

glass sash  
Weight: 2.25kg/m




**JNW-SJC12**

glass sash with hook  
Weight: 2.58kg/m




**JNW-SJC23**

strengthen glass sash  
Weight: 3.39kg/m




**JNW-SJC25**

strengthen glass sash with hook  
Weight: 3.72kg/m




**JNW-SJC31**

strengthen glass sash  
Weight: 3.25kg/m



**JNW-SJC33**

strengthen glass sash with hook  
Weight: 1.82kg/m



**JNW-SJC14**

strengthen inner frame  
Weight: 1.82kg/m



**JNW-SJC039**


glass sash  
Weight: 2.05kg/m



**JNW-SJC041**

glass sash with hook  
Weight: 2.38kg/m

► Assembly Diagram ►►



► Accessories >>



battery backup



handrail pc cover



opening sash pc cover



lifting arm



motor



intelligent voice sensor



24 power source / controller



100 speed reducer



150 gearbox / chain



single - shaft motor / double shaft motor


# 130+195 # Heavy-Duty Lift Sliding Door >>>



## Product Features:


- ① Sound and heat insulation, energy efficient
- ② Lifting sliding for better sealing performance
- ③ Positioned at will, easy to adjust the ventilation area
- ④ Hidden bottom rail floor drain design

## Thermal Break Profiles Universal Profiles




### JNW-BF923F

double side seal  
Weight: 1.93kg/m




### JNW-ZT938F

double rail center column  
Weight: 2.0kg/m



### JNW-BF950F


three-rail side seal  
Weight: 2.74kg/m



### JNW-ZT954F

triple rail center column  
Weight: 2.68kg/m

## 130+195 Thermal Break Profiles




### JNW-TS911F

75 lifting door frame  
Weight: 1.79kg/m




### JNW-XT914

75 door frame slot  
Weight: 0.23kg/m




### JNW-XT936

75 vertical door frame with hook  
Weight: 0.20kg/m




### JNW-TS1281F

90 lifting door frame  
Weight: 2.53kg/m




### JNW-XT1488

90 door frame slot  
Weight: 0.50kg/m



### JNW-XT1284

90 vertical door frame with hook  
Weight: 0.23kg/m




### JNW-TS929F

inside slim vertical door frame  
Weight: 1.23kg/m




### JNW-TS935F

outside slim vertical door frame  
Weight: 0.17kg/m




### JNW-TS930F

double vertical door frame with hook  
Weight: 0.4kg/m




### JNW-TS939F

screen center  
Weight: 1.37kg/m




### JNW-A-042

60 bale cover  
Weight: 0.77kg/m



### JNW-A-018

100 bale cover  
Weight: 1.05kg/m




### JNW-A-016

F strip  
Weight: 0.18kg/m




### JNW-A-015

p-strip  
Weight: 0.18kg/m



### D-A470

100 buckle plate  
Weight: 0.49kg/m



### JNW-XT924F

side seal lock slot  
Weight: 0.44kg/m



### JNW-XT951


side sealing cover plate  
Weight: 0.37kg/m



### JNW-XT913D


door clip  
Weight: 0.15kg/m

### Automatic Profiles




#### JNW-XT1080F

fixed glass clip  
Weight: 0.18kg/m




#### JNW-XT1008

75 intelligent lock slot  
Weight: 0.42kg/m




#### JNW-XT931F

closing  
Weight: 0.66kg/m




#### JNW-XT863

intelligent double rail top rail  
Weight: 1.63kg/m



#### JNW-XT861

intelligent three-rail top rail  
Weight: 2.35kg/m



#### JNW-XT864

intelligent two-rail additional rail  
Weight: 1.82kg/m




#### JNW-XT937

single vertical door frame with hook  
Weight: 0.27kg/m




#### JNW-XT953

double vertical door frame with hook  
Weight: 0.31kg/m




#### JNW-XT915

diamond mesh sub-frame  
Weight: 0.41kg/m




#### JNW-XT862

intelligent three-rail additional rail  
Weight: 3.23kg/m



#### JNW-XT860

intelligent top rail cover  
Weight: 0.50kg/m




#### JNW-TS918F

lifting double rail top rail  
Weight: 2.84kg/m



#### JNW-XT916

diamond mesh clip  
Weight: 0.10kg/m




#### JNW-XT1217

highly transparent mesh sub-frame  
Weight: 0.45kg/m




#### JNW-XT1218

55 vertical door frame  
Weight: 1.82kg/m




#### JNW-TS921F

lifting two-rail bottom rail  
Weight: 3.0kg/m




#### JNW-TS952F

lifting three-rail top rail  
Weight: 4.0kg/m




#### JNW-TS955F

lifting three-rail bottom rail  
Weight: 4.05kg/m




#### JNW-A-009

two rail flat rail  
Weight: 0.89kg/m




#### JNW-A-020

three rail flat rail  
Weight: 1.28kg/m




#### JNW-XT917

lifting top rail cover plate  
Weight: 0.23kg/m



#### JNW-TS1121F


inner reinforce vertical door frame  
Weight: 2.11kg/m



#### JNW-TS1122F


outside reinforced vertical door frame  
Weight: 2.11kg/m

# Sinking And Embedded Profiles




**JNW-TS1120G**

pre-embedded double rail bottom rail  
Weight: 0.18kg/m



**JNW-TS1519F**

pre-embedded three-rail bottom rail  
Weight: 0.42kg/m




**JNW-XT1119G**

pre-embedded sinking hidden drainage  
Weight: 0.66kg/m


## ► Assembly Diagram ►►




Two track




Triple track




**Non-Thermal Break Profiles  
Universal Profiles**

**JNW-A-007**


mesh center cross  
Weight: 0.99kg/m


**JNW-XT1080F**


fixed glass clip  
Weight: 0.18kg/m


**JNW-A-030**


screen frame  
Weight: 0.34kg/m


**JNW-A-039**


inner bottom track frame  
Weight: 0.37kg/m


**JNW-A-017**


closing  
Weight: 0.53kg/m


**JNW-A-040**


bottom rail cover plate  
Weight: 0.32kg/m


**JNW-A-035**


55 vertical door frame  
Weight: 1.82kg/m


**M949**


35x22 grid strip  
Weight: 0.294kg/m


**GT-061**


35x27 grid strip  
Weight: 0.30kg/m

**130+195 Non-Thermal Break Profiles**

**JNW-A-053**

side sealing cover plate  
Weight: 0.28kg/m


**JNW-A-013**


top rail cover plate  
Weight: 0.25kg/m


**D-A470**


100 buckle plate  
Weight: 0.538kg/m


**JNW-A-036**


55 single vertical door frame with hook  
Weight: 0.43kg/m


**JNW-A-037**


55 double vertical door frame with hook  
Weight: 0.65kg/m


**JNW-TS70**


70 lifting vertical door frame  
Weight: 2.26kg/m


**JNW-A-042**


60 bale cover  
Weight: 0.81kg/m


**JNW-A-018**


100 bale cover  
Weight: 1.11kg/m


**JNW-A-016**


F strip  
Weight: 0.19kg/m


**JNW-TS71**


elevation add-on material  
Weight: 0.30kg/m


**JNW-A-027**


70 single vertical door frame with hook  
Weight: 0.44kg/m


**JNW-A-028**

70 double vertical door frame with hook  
Weight: 0.66kg/m


**JNW-A-005**


112 vertical door frame  
Weight: 1.92kg/m


**JNW-A-006**


112 vertical door frame  
Weight: 2.27kg/m


**JNW-A-031**


112 single vertical door frame with hook  
Weight: 0.50kg/m


**JNW-A-032**


112 double vertical door frame with hook  
Weight: 0.83kg/m

**Automatic Profiles**

**JNW-XT861**


Intelligent three-rail top rail  
Weight: 2.35kg/m


**JNW-XT862**

Intelligent three-rail additional rail  
Weight: 3.23kg/m


**JNW-XT863**


Intelligent two-rail top rail  
Weight: 1.63kg/m


**JNW-XT864**


Intelligent two-rail additional rail  
Weight: 2.18kg/m


**JNW-XT860**


Intelligent top rail cover  
Weight: 0.50kg/m

**Double Track Profile**

**JNW-A-008**


two rails top rail  
Weight: 2.07kg/m


**JNW-A-038**


double rails hidden drainage bottom rail  
Weight: 1.68kg/m


**JNW-A-009**


Double rails flat rail  
Weight: 0.89kg/m


**JNW-A-014**


two rails central column  
Weight: 1.77kg/m


**JNW-A-011**


double rails side seal  
Weight: 1.80kg/m


**JNW-A-033**


two rail side seal (2.0)  
Weight: 2.13kg/m


**JNW-A-012**


two rail side seal cover plate  
Weight: 0.74kg/m

**Triple Track Profiles**

**JNW-A-019**


three-rail top rail  
Weight: 3.04kg/m


**JNW-A-043**

three-rail hidden drainage bottom rail  
Weight: 3.19kg/m



**JNW-A-020**

three-rail flat rail  
Weight: 1.28kg/m




### JNW-A-025

three-rail center column  
Weight: 2.58kg/m




### JNW-A-023

three-rail hidden drainage bottom rail  
Weight: 3.09kg/m



### JNW-A-034


three-rail side seal (2.0)  
Weight: 3.52kg/m





### JNW-A-024

three-rail side seal cover  
Weight: 1.05kg/m



## ► Double Track Assembly Diagram ►►




## ► Assembly Diagram ►►



## ► Triple Track Assembly Diagram ►►





## Accessories



zinc alloy bumpers



thermal break heavy door  
high track composite steel wheel  
four bottom wheels (15 \* 27)



glass fan corner code  
(20.6\*11.4)



pre-built dust-proof strip for  
heavy-duty door(9\*78)



central column corner code  
(11.3\*20.6)



55 special lock metal gray  
(without key, left)




70 lifting hardware with key  
170kg load capacity



stainless steel dust-proof strip for bottom  
rail of thermal break heavy-duty door



195 heavy-duty door special  
top wheel (90/102/112 special  
upper wheel 28.5 high)




thermal break heavy door  
do sealing balcony sliding  
window mold (7 head)



130 Lift Door - Regular Lift Version




130 Lift Door - Electric Lift Model 0062



195 heavy-duty sliding door profile

# 130 # Lift Sliding Window >>>



## Product Features:


- ① Lifting sliding for better sealing performance
- ② Positioned at will, easy to adjust the ventilation area
- ③ Sound and heat insulation, energy efficient

## >>> 130 Lift Sliding Window




Mei Tong Flying Aluminum

### Lifting Profiles




#### JNW-GD925F

lifting top rail  
Weight: 2.62kg/m



#### JNW-GD919F


lifting bottom rail  
Weight: 2.48kg/m



#### JNW-XT917


lifting top rail cover plate  
Weight: 0.23kg/m

### 130 Lift Sliding Window




#### JNW-BF923F

side seal  
Weight: 1.93kg/m




#### JNW-BF925F

two-fixed, two-activated side seals  
Weight: 2.4kg/m



#### JNW-ZT938F

center column  
Weight: 2.0kg/m




#### JNW-TS1121F

inner strengthen door frame  
Weight: 2.11kg/m




#### JNW-TS911F

75 lifting door  
Weight: 1.79kg/m




#### JNW-TS929F

inside slim vertical door frame  
Weight: 1.23kg/m




#### JNW-CT1564F

drainage conversion for bottom rails  
Weight: 0.81kg/m




#### JNW-CT1566F

thermal break reinforced hook center frame  
Weight: 1.94kg/m




#### JNW-XT1022

two-way reinforced center frame  
Weight: 1.80kg/m




### JNW-A-042

60 packs  
Weight: 0.77kg/m



### JNW-XT934F

sinking sealing aluminum strip  
Weight: 0.21kg/m




### JNW-XT913D

door clip  
Weight: 0.15kg/m




### JNW-XT931F

closing  
Weight: 0.66kg/m



### JNW-XT240

glass guardrail  
Weight: 0.70kg/m




### JNW-A-016

F strip  
Weight: 0.18kg/m




### JNW-XT1080F

fixing glass door clip  
Weight: 0.18kg/m



### GD-131

outdoor clip  
Weight: 0.16kg/m



### JNW-XT926F

indoor cover  
Weight: 0.19kg/m




### JNW-A-015

P-strip  
Weight: 0.18kg/m



### GD-014

universal slot cover  
Weight: 0.05kg/m




### D-A470

100 buckle plate  
Weight: 0.49kg/m




### JNW-A-012

fixing glass conversion cover plate  
Weight: 0.74kg/m




### JNW-XT933

treadle cover  
Weight: 0.44kg/m




### JNW-XT924F

side closure slots  
Weight: 0.44kg/m




### JNW-XT927

hooked center frame  
Weight: 1.31g/m



### JNW-XT1023

reinforced hook center frame  
Weight: 1.81kg/m




### JNW-XT956

bottom rail drainage conversion  
Weight: 1.31kg/m




### JNW-XT951

side sealing cover plate  
Weight: 0.37kg/m




### JNW-XT914

75 door slot  
Weight: 0.23kg/m




### JNW-XT1008

intelligent lock slot  
Weight: 0.42kg/m



### JNW-XT1185

intelligent top rail  
Weight: 2.16kg/m



### JNW-XT1186

intelligent top rail additional groove  
Weight: 1.78kg/m






### JNW-XT860

intelligent top rail cover  
Weight: 0.50kg/m

### Automatic profiles

► Assembly Diagram ►►



► Accessories ►►



zinc alloy bumpers



thermal break heavy door  
high track composite steel wheel  
four bottom wheels (15 \* 27)




glass fan corner code  
(20.6\*11.4)



55 special lock metal gray  
(without key, left)



central column corner code  
(11.3\*20.6)



thermal break heavy door  
do sealing balcony sliding  
window mold (7 head)



70 lifting hardware with key  
170kg load capacity



stainless steel dust-proof strip for bottom  
rail of thermal break heavy-duty door



195 heavy-duty door special  
top wheel (90/102/112 special  
upper wheel 28.5 high)

# 128 # Floating Sliding Window >>>



## Product Features:


- ① Suspended design and hidden track, easy to clean.
- ② Embedded frame design, enhance the sealing performance.
- ③ Smooth edge does not hurt hands.
- ④ Outstanding drainage function, maximum 7.5meters.

## >>> 128 Floating Sliding Window




Mei Tong Flying Aluminum

### Universal Profiles




#### JNW-CT1461F

upper door frame  
Weight: 0.93kg/m




#### JNW-CT1462F

bottom door frame  
Weight: 0.91kg/m




#### JNW-CT1325F

single vertical door frame with hook  
Weight: 0.85kg/m




#### JNW-CT1325G

double vertical door frame with hook  
Weight: 0.91kg/m




#### JNW-CT1324F

hidden door frame  
Weight: 0.79kg/m




#### JNW-XT1463

mesh door upper frame  
Weight: 1.35kg/m




#### JNW-XT1464

mesh door bottom frame  
Weight: 1.30kg/m




#### JNW-XT1465F

hidden mesh door  
Weight: 1.20kg/m




#### JNW-XT1466F

mesh door with hook  
Weight: 1.17kg/m




#### JNW-XT1671

outside mesh door with hook  
Weight: 1.24kg/m




#### JNW-XT1469

suspended track  
Weight: 0.70kg/m



#### JNW-XT1672


suspended track with woolen strips  
Weight: 0.70kg/m


**JNW-XT1468**


bottom double side frame cover  
Weight: 0.38kg/m


**JNW-XT1467**


bottom single side frame cover  
Weight: 0.23kg/m


**JNW-XT1331**


side frame double cover  
Weight: 0.46kg/m


**JNW-XT051F**


two-color grid  
Weight: 0.40kg/m


**GD-036A**


integrated grid strip  
Weight: 0.37kg/m


**JNW-XT1470**


handrail  
Weight: 1.51kg/m


**JNW-XT1332F**


side frame single cover  
Weight: 0.41kg/m


**JNW-XT1342**


indoor square clip  
Weight: 0.30kg/m


**GD-131**


outdoor clip  
Weight: 0.16kg/m

**Double Track Profile**

**JNW-CT1487F**

two-track suspended upper rail  
Weight: 2.32kg/m


**JNW-CT1459F**

two-track suspended bottom rail  
Weight: 2.29kg/m


**JNW-CT1416F**


two rail side seal  
Weight: 1.34kg/m


**JNW-XT1355F**


mesh door clip  
Weight: 0.07kg/m


**GD-014**


universal slot cover  
Weight: 0.05kg/m


**JNW-XT1333**


side frame anti-collision strips  
Weight: 0.15kg/m


**JNW-CT1420F**

two-track side frame transform  
Weight: 1.40kg/m


**JNW-CT1343E**


two tracks fixed up and down  
Weight: 1.49kg/m


**JNW-CT1343G**


two rail inner frame  
Weight: 1.54kg/m


**JNW-XT1334**


closing  
Weight: 0.31kg/m


**JNW-XT389**

clothes drying guardrail frame  
Weight: 0.50kg/m



**JNW-XT263**

additional european standard slot  
Weight: 0.20kg/m


**JNW-CT1676F**


two-track suspended bottom rail(landing)  
Weight: 2.19kg/m

### Triple Track Profiles




#### JNW-CT1485F

three-track suspended upper rail  
Weight: 3.04kg/m




#### JNW-CT1460F

three-track suspended bottom rail  
Weight: 3.07kg/m




#### JNW-CT1708F

3.0 three-track suspended bottom rail  
Weight: 3.87kg/m




#### JNW-CT1417F

three rail side seal  
Weight: 1.70kg/m




#### JNW-CT1418F

three-track side frame transform  
Weight: 1.77kg/m




#### JNW-CT1329F

three tracks fixed up and down  
Weight: 1.94kg/m



#### JNW-CT1347F


three track inner frame  
Weight: 1.99kg/m



#### JNW-CT1458F


three-track suspended bottom rail(landing)  
Weight: 2.97kg/m

### Five Track Profiles




#### JNW-CT1554F

five-track suspended upper rail  
Weight: 4.57kg/m




#### JNW-CT1552F

five-track suspended bottom rail  
Weight: 5.85kg/m




#### JNW-CT1548F

five-track side seal  
Weight: 2.50kg/m




#### JNW-CT1555F

five tracks fixed up and down  
Weight: 2.75kg/m




#### JNW-CT1546F

five tracks center column  
Weight: 2.98kg/m




#### JNW-XT1545

five-track side seal transform outside  
Weight: 1.24kg/m




#### JNW-XT1551

five-track side seal transform inside  
Weight: 1.05kg/m




#### JNW-XT1547

five-track side seal two covers  
Weight: 0.70kg/m



#### JNW-XT1549


five-track side seal three covers  
Weight: 1.10kg/m



#### JNW-XT1550


five-track side seal four covers  
Weight: 1.44kg/m

### Automatic Profiles



#### JNW-CT1584F


128 intelligent top rail  
Weight: 2.95kg/m




#### JNW-XT1586

suspended window intelligent upper track additional track  
Weight: 1.82kg/m


### Triple Track




### Five Track



Five Track



Automatic electric



Accessories



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel



120 sliding window drying guardrail pin code (21\*14.7)



125 thermal break scenery window center column code (JM-18.55ZH)

# 40#Medium Narrow Sliding Door>>>



## Product Features :


- ① The push and pull process is stable and smooth;  
all series of lower rails are upgraded to double-row wheel
- ② Multiple rail scheme: flat rail、higher rail、suspended rail、lifting rail
- ③ A variety of thickness are available; 2.0、3.0、5.0
- ④ Many door frame combinations available; 52mm、65mm、75mm

## >>> 40 Medium Narrow Sliding Door




Mei Tong Flying Aluminum

### Universal Profiles




#### KY01-004

double-row wheel bottom rail  
Weight: 0.33kg/m




#### KY01-040

single-row wheel bottom rail  
Weight: 0.31kg/m




#### KY01-010F

suspended clip  
Weight: 0.39kg/m




#### KY01-011

suspended rail cover  
Weight: 0.26kg/m




#### KY01-024

65 door frame closing  
Weight: 0.48kg/m




#### KY01-008

fixed clip  
Weight: 0.19kg/m




#### KY01-026

mesh center cross  
Weight: 0.67kg/m




#### KY01-027

mesh clip  
Weight: 0.19kg/m




#### KY01-047

side seal cover  
Weight: 0.19kg/m




#### KY01-025

suspended rail  
Weight: 0.9kg/m




#### KY01-028

inner F strip  
Weight: 0.14kg/m




#### KY01-029

outer F strip  
Weight: 0.16kg/m




**JNW-A-042**

60 packs  
Weight: 0.77kg/m




**D-A470**

buckle plate  
Weight: 0.49kg/m




**JNW-XT1442**

glass guardrail  
Weight: 0.52kg/m



**JNW-XT1003**


glass guardrail  
Weight: 0.50kg/m



**KY01-045**


bottom rail cover  
Weight: 0.24kg/m

**Two Track**




**KY01-043**

double-rail top buffer rail  
Weight: 1.64kg/m




**KY01-001**

1.4 double-rail side seal  
Weight: 1.25kg/m




**KY01-041**

2.0 double-rail side seal  
Weight: 1.57kg/m




**KY01-006**

double-rail center column  
Weight: 1.21kg/m




**KY01-003F**

double-rail higher bottom rail  
Weight: 1.94kg/m




**KY01-038**

double-rail single-row wheel flat rail  
Weight: 0.46kg/m




**KY01-005**

double-rail double-row wheel flat rail  
Weight: 0.51kg/m



**KY01-009**


double-rail suspended bottom rail  
Weight: 2.32kg/m



**KY01-007**


double-rail side seal cover  
Weight: 0.5kg/m

**Three Track**



**KY01-044**

triple-rail buffered top rail  
Weight: 2.41kg/m




**KY01-014F**

triple-rail higher bottom rail  
Weight: 2.79kg/m




**KY01-016**

triple-rail double-row wheel flat rail  
Weight: 0.77kg/m




**KY01-039**

triple-rail single-row wheel flat rail  
Weight: 0.71kg/m




**KY01-015**

triple-rail suspended rail  
Weight: 3.04kg/m




**KY01-017**

triple-rail center column  
Weight: 1.7kg/m




**KY01-018**

triple-rail side seal cover  
Weight: 0.72kg/m




**KY01-012**

triple-rail three-groove side seal 1.4  
Weight: 2.17kg/m




**KY01-042**


triple-rail three-groove side seal 2.0  
Weight: 2.62kg/m


**KY01-036**


triple-rail two-groove side seal 1.4  
Weight: 1.91kg/m


**KY01-037**

triple-rail one-groove side seal 1.4  
Weight: 1.73kg/m

**52 vertical door frame**

**KY01-030**


3.0-52 vertical door frame  
Weight: 1.34kg/m


**KY01-034**


5.0-52 vertical door frame  
Weight: 1.46kg/m


**KY01-033**


4.0-18 vertical door frame  
Weight: 0.85kg/m


**KY01-046**


4.0-18 strengthen door frame  
Weight: 1.62kg/m


**KY01-031**


52 single vertical door frame with hook  
Weight: 0.31kg/m


**KY01-032**


52 double vertical door frame with hook  
Weight: 0.48kg/m

**65/75 vertical door frame**

**KY01-019**


2.0-65 vertical door frame  
Weight: 1.32kg/m


**KY01-020**


3.0-65 vertical door frame  
Weight: 1.44kg/m


**KY01-035**


5.0-65 vertical door frame  
Weight: 1.64kg/m


**KY01-021**


3.0-75 vertical door frame  
Weight: 1.61kg/m


**KY01-049**


3.0-75 lifting vertical door frame  
Weight: 1.74kg/m


**KY01-050**


75 lifting vertical door frame lock slot  
Weight: 0.28kg/m


**KY01-022**


65 single vertical door frame with hook  
Weight: 0.34kg/m


**KY01-023**


65 double vertical door frame with hook  
Weight: 0.54kg/m

**casement door**

**KY02-001**


1.2 door jamb  
Weight: 0.76kg/m


**KY02-002**


1.2 double door jamb  
Weight: 0.82kg/m


**KY02-003**


2.0 door jamb  
Weight: 1.04kg/m


**KY02-004**


2.0 double door jamb  
Weight: 1.04kg/m


**D-A005A**

1.2 vertical door frame  
Weight: 0.63kg/m



**KY02-005**

2.0 vertical door frame  
Weight: 0.9kg/m



**JNW-A-042**

60 packs  
Weight: 0.77kg/m




**D-A470**

buckle plate  
Weight: 0.49kg/m



**KY01-028**


inner F strip  
Weight: 0.14kg/m









**GT044**

10x15 grid strip  
Weight: 0.104kg/m

► Assembly Diagram ►  
casement door




sliding door



## 8 MAJOR RAIL SYSTEMS



double rails flat rail  
double-row wheel



double rails higher rail  
double-row wheel



triple-rails flat rail  
double-row wheel



triple-rail higher rail  
double-row wheel



double rails suspended rail  
double-row wheel



triple-rails suspended rail  
double-row wheel



double rails lifting rail  
single-row wheel



triple-rails lifting rail  
single-row wheel

## PROFILE ADVANTAGES



### ADVANTAGES OF FLAT RAIL

Track height only 5mm  
Ultra-thin design  
less likely to trip over people  
Fits better with the needs of daily life  
Enabling more efficient cleaning



### ADVANTAGES OF HIGHER RAIL

Track height 45mm  
Excellent sealing performance  
Water-proof and dust-proof



### ADVANTAGES OF SUSPENDED RAIL

Track height 65mm  
Exquisite design  
good-looking  
Outstanding sealing performance



### ADVANTAGES OF LIFTING RAIL

Track height 45mm  
Support the lifting function  
More efficient and reliable

## Accessories



SK514 specific aluminum corner code



corner code / wrapped packs corner code



corner for panel



specific lower pulley



hanging pulley ( with buffer )



hanging pulley ( with two-way buffer )



hanging pulley ( without two-way buffer )



diamond buffer

bidirectional buffer



three door linkage accessories



handle



specific lock( sliver )



corner for panel



corner for panel with screws




side seal hanging rail plug



Anti - collision leather Strip

# 128 # Scenery Sliding Window >>>



## Product Features :


- ① Equipped 3.0 thickness screen sash and bottom rail
- ② Superior drainage system, moveable guardrail
- ③ Six-rail design, 100mm large handrail surface

## >>> 128 Scenery Sliding Window




Mei Tong Flying Aluminum

### Universal Profiles




#### JNW-CT1326F

upper door frame  
Weight: 0.83kg/m




#### JNW-CT1327F

bottom door frame  
Weight: 0.95kg/m




#### JNW-CT1325F

single vertical door frame with hook  
Weight: 0.85kg/m




#### JNW-CT1325G

double vertical door frame with hook  
Weight: 0.91kg/m



#### JNW-CT1324F

hidden door frame  
Weight: 0.79kg/m



#### JNW-XT1352

mesh door upper frame  
Weight: 1.21kg/m




#### JNW-XT1353

mesh door bottom frame  
Weight: 1.33kg/m




#### JNW-XT1351F

mesh door with hook  
Weight: 1.23kg/m




#### JNW-XT1350

hidden mesh door  
Weight: 1.17kg/m




#### JNW-XT1331

side seal double cover  
Weight: 0.46kg/m




#### JNW-XT1332F

side seal single cover  
Weight: 0.41kg/m




#### JNW-XT1342

indoor square clip  
Weight: 0.30kg/m



### GD-131

outdoor clip  
Weight: 0.16kg/m




### JNW-XT1354

door frame bottom wheel slot  
Weight: 0.16kg/m




### JNW-XT1355F

mesh door clip  
Weight: 0.07kg/m




### JNW-XT1333

side seal anti-collision strip  
Weight: 0.15kg/m




### JNW-XT1334

closing  
Weight: 0.31kg/m




### JNW-XT389

clothes drying guardrail frame  
Weight: 0.50kg/m




### JNW-XT263

additional european standard slot  
Weight: 0.20kg/m



### JNW-XT051F

two-color grid strip  
Weight: 0.20kg/m



### GD-036A

integrated grid strip  
Weight: 0.37kg/m




### GD-014

universal slot cover  
Weight: 0.05kg/m



### JNW-XT1422

bottom rail guard  
Weight: 0.09kg/m




### XTC-ZJ90B

90 corner -135°  
Weight: 1.251kg/m




### XTC-ZJ90A

90 corner -90°  
Weight: 1.728kg/m



### XTC-ZJ130A


130 corner -90°  
Weight: 2.80kg/m



### XTC-ZJ130B


130 corner -90°  
Weight: 1.95kg/m

## Four track




### JNW-CT1487F

four-rail top rail  
Weight: 2.32kg/m




### JNW-CT1346F

four-rail bottom rail  
Weight: 1.80kg/m




### JNW-XT1345

four-rail additional bottom rail  
Weight: 0.46kg/m




### JNW-CT1416F

four-rail side seal  
Weight: 1.34kg/m




### JNW-CT1420F

four-rail side seal conversion  
Weight: 1.40kg/m




### JNW-CT1343E

four-rail fixed up and down  
Weight: 1.49kg/m



### JNW-CT1343G


four-rail center column  
Weight: 1.54kg/m



### JNW-CT1346S


four-rail bottom rail (land)  
Weight: 1.69kg/m

Six track




**JNW-CT1485F**

six-rail top rail  
Weight: 3.04kg/m




**JNW-CT1318F**

six-rail bottom rail  
Weight: 2.92kg/m




**JNW-CT1348F**

six-rail bottom rail  
Weight: 3.76kg/m




**JNW-XT1330**

six-rail additional bottom rail  
Weight: 0.86kg/m




**JNW-CT1417F**

six-rail side seal  
Weight: 1.70kg/m




**JNW-CT1418F**

six-rail side seal conversion  
Weight: 1.77kg/m




**JNW-CT1329F**

six-rail fixed up and down  
Weight: 1.77kg/m




**JNW-CT1347F**

six-rail center column  
Weight: 1.99kg/m



**JNW-CT1357F**


six-rail bottom rail  
Weight: 2.82kg/m




**DZ-822F**

handrail  
Weight: 1.52kg/m

► Assembly Diagram ►►



## Assembly Diagram



## Accessories



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel




120 sliding window drying guardrail pin code (21\*14.7)




125 thermal break scenery window center column code (JM-18.55ZH)

## 110 # Thermal Break Sliding Window




## Product Features :


- ① High cost-effective, extreme cost control
- ② Can equipped cloth hanger, automatic locking


**JNW-CT1236F**


top rail  
Weight: 1.61kg/m


**JNW-CT1159F**


bottom rail (1.4)  
Weight: 2.18kg/m


**JNW-CT1234F**


bottom rail (2.0)  
Weight: 2.69kg/m


**JNW-CT1239F**


side seal  
Weight: 1.28kg/m


**JNW-CT1165F**


side seal conversion  
Weight: 0.98kg/m


**JNW-CT1161F**

center column  
Weight: 1.29kg/m


**JNW-CT1162F**


door frame  
Weight: 0.92kg/m


**JNW-XT1240**


mesh door frame  
Weight: 0.75kg/m


**JNW-XT518**

mesh door clip  
Weight: 0.12kg/m


**JNW-XT1169**

double vertical door frame with hook  
Weight: 0.41kg/m


**JNW-XT1170**

side seal double cover  
Weight: 0.26kg/m


**JNW-XT1171**


side seal single cover  
Weight: 0.2kg/m


**JNW-XT1172**


door frame lock slot  
Weight: 0.12kg/m


**JNW-XT1241**


side seal lock slot  
Weight: 0.17kg/m


**JNW-XT1167**


screen cover  
Weight: 0.14kg/m


**JNW-XT1202**


detachable guardrail  
Weight: 0.46kg/m


**JNW-XT389**


clothes drying guardrail frame  
Weight: 0.50kg/m


**JNW-XT263**


additional European standard slot  
Weight: 0.20kg/m


**JNW-XT1166**


indoor clip  
Weight: 0.34kg/m


**GD-131**


outdoor clip  
Weight: 0.16kg/m


**JNW-XT1168**


single vertical door frame with hook  
Weight: 0.26kg/m


**JNW-XT051F**


two-color grid strip  
Weight: 0.20kg/m


**GD-036A**

integrated grid strip  
Weight: 0.37kg/m



**DZ-714**

closing  
Weight: 0.24kg/m




**GD-014**

universal slot cover  
Weight: 0.05kg/m




**JNW-XT1173**

handrail  
Weight: 1.06kg/m



**ZJ110A**




110 corner -90°  
Weight: 1.35kg/m



**ZJ110B**

110 corner -135°  
Weight: 1.09kg/m

► Assembly Diagram ►►



► Accessories ►►



110 sliding window drying  
guardrail pin code (21\*14.7)



110 thermal break scenery window  
center column code (JM-18.55ZH)



110 window special  
self-tightening 23 high upper  
wheel



110 thermal break scenery  
window  
special lock black (left) nice style



3MM  
semicircular stainless steel rail



drilling sealant



sliding window 150kg  
load-bearing rubyfour wheels



sliding window special  
self-tightening ruby high upper wheel

# 120-1# Slim Casement Window >>>



## Product Features :


- ① Glass: 5+20A+5, Aluminum alloy handle
- ② Can do outside opening fan, very narrow frame
- ③ Sash, glass fan can be done with the same type of handle
- ④ Sash can be made of adamantine and HD Sash

## >>> 120-1 Slim Casement Window




Mei Tong Flying Aluminum

### ► 120-1#Slim Casement Window




#### JNW-CT1189F

out frame  
Weight : 1.89 kg/m




#### JNW-CT1190F

center column  
Weight : 2.12 kg/m




#### JNW-CT1214F

glass sash A  
Weight : 1.34 kg/m




#### JNW-CT1221F

glass sash B  
Weight : 1.43 kg/m




#### JNW-CT1191F

subframe A  
Weight : 1.2 kg/m



#### JNW-CT1222F

subframe B  
Weight : 1.15 kg/m




#### JNW-XT1192

screen sash  
Weight : 0.64 kg/m




#### JNW-XT518

mesh door clip  
Weight : 0.12 kg/m




#### JNW-XT1193

square clip  
Weight : 0.24 kg/m




#### JNW-XT1194

screen sash subframe  
Weight : 0.17 kg/m




#### JNW-XT11212

skew clip  
Weight : 0.29 kg/m



#### JNW-XT1213


slot for sash clip  
Weight : 0.12 kg/m



**JNW-XT208**


frame splicing strip  
Weight : 0.28 kg/m

► Assembly Diagram ►►




materials: 10.00 kg/m<sup>2</sup>

materials: 10.50 kg/m<sup>2</sup>




**JNW-BK812A**

injection molded frame  
Weight : 1.69 kg/m




**JNW-ZH813A**

injection molded center post  
Weight : 1.82 kg/m




**DZ-CT797F**

slim subframe  
Weight : 1.55 kg/m



**DZ-CT795F**

slim glass sash  
Weight : 1.36 kg/m




**DZ-793**

slim screen sash  
Weight : 0.59 kg/m




**DZ-794**

mesh door clip  
Weight : 0.09 kg/m




**JNW-XT1230**

guardrail frame  
Weight : 0.12 kg/m




**JNW-XT1231**

latticework  
Weight : 0.20 kg/m




**JNW-XT772**

bevelled edge clip  
Weight : 0.32 kg/m




**JNW-XT778**

diamond clip  
Weight : 0.40 kg/m




**JNW-XT780**

bent clip  
Weight : 0.50 kg/m



**GD-014**

universal slot cover  
Weight : 0.05 kg/m




**JNW-XT1009**

outside 90° slim corner  
Weight : 1.14 kg/m




**JNW-XT1010**

inside 90° slim corner  
Weight : 0.38 kg/m




**JNW-XT208**

frame splicing strip  
Weight : 0.28 kg/m



**ZJ110A**


110 corner-90°  
Weight : 1.42 kg/m



**ZJ110B**

110 degree corner-135  
Weight : 1.13 kg/m

► Assembly Diagram ►►



► Accessories ►►



120 slim outer frame color  
injection corner code (26.2\*13.2)



120 slim center column inner color  
injection corner code (jm16zh\*13.2)



side lock (silver) left




side lock (silver) left



large center column machine  
(without blade)




13.5\*1.0\*1.2 stainless steel injection  
molding group corner piece



slim frame center column mold 6 molds

# 110 / 115 — Outward & Inward Casement Window >>>



## Product Features :


- ① 8 cavities structure and 6 layers sealing
- ② three options of thickness to choose: 1.8mm,2.0mm,3.0mm
- ③ Vertical isothermal line design
- ④ customized molded thermal insulation strips
- ⑤ Better noise insulation and heat insulation
- ⑥ Excellent water tightness and air tightness performance
- ⑦ Side frame width 115mm, performance upgrade comprehensively

## >>> 110 Outward & Inward Casement Window




Mei Tong Flying Aluminum

### 110#3 Outward Opening Window ▶ Universal Profiles




**JNW-HC847A**

75 split glass sash  
Weight : 1.39 kg/m




**JNW-HC771A**

70 integrated glass sash  
Weight : 1.31 kg/m




**JNW-XT778**

rhomboid clip  
Weight : 0.39 kg/m




**JNW-XT768**

openable guardrail frame  
Weight : 0.35 kg/m




**JNW-XT846B**

clip  
Weight : 0.15 kg/m




**JNW-XT051F**

two-color grid  
Weight : 0.2 kg/m




**JNW-XT1009**

90° slim corner  
Weight : 1.14 kg/m



**JNW-XT1010**


90° slim corner  
Weight : 0.38 kg/m



**JNW-XT772**


subversive 3 clip  
Weight : 0.32 kg/m

### ▶ 110#3 Outward Opening Window




**JNW-BK812A**

injection molded frame  
Weight : 1.69 kg/m




**JNW-ZH813A**

injection molded center post  
Weight : 1.82 kg/m




**JNW-FK773A**


outward opening sub-frame  
Weight : 1.29 kg/m


**JNW-ZT802**


strengthen center column  
Weight : 3.26 kg/m


**JNW-1007**


50 screen sash  
Weight : 0.62 kg/m


**JNW-1011**


sash cover  
Weight : 0.09 kg/m


**JNW-XT770**


sash without folded edge  
Weight : 0.7 kg/m


**JNW-XT769**


sash square clip  
Weight : 0.16 kg/m


**JNW-XT780**


bent clip  
Weight : 0.5 kg/m


**ZJ110A**


110 corner-90°  
Weight : 1.35 kg/m


**ZJ110B**


135 degree corner  
Weight : 1.08 kg/m


**HC235B**


center frame for 75 glass sash  
Weight : 1.0 kg/m


**HC110**


sash center frame  
Weight : 1.0 kg/m


**GD-026**


sash center frame  
Weight : 0.56 kg/m

**110#3 Inward Opening Window**

**JNW-BK760A**


outer frame  
Weight : 1.65 kg/m


**JNW-ZH762A**


center column  
Weight : 1.78 kg/m


**JNW-HC807A**

double inward opening glass sash  
Weight : 1.65 kg/m


**JNW-XT816**

additional european standard groove  
Weight : 0.21 kg/m


**JNW-XT902**


screen sash subframe  
Weight : 0.3 kg/m


**JNW-XT287**


double inside opening sash  
Weight : 0.6 kg/m


**JNW-XT267**


mesh door clip  
Weight : 0.15 kg/m


**JNW-1006**


75 screen sash  
Weight : 0.73 kg/m


**JNW-1010**


75 mesh door clip  
Weight : 0.13 kg/m


**JNW-XT815**

clip  
Weight : 0.28 kg/m



**JNW-XT811**

square clip  
Weight : 0.41 kg/m



**JNW-XT855**

round clip  
Weight : 0.4 kg/m

► Assembly Diagram ►►




► Universal Profiles




**JNW-CT1860F**

Sub frame  
Weight : 1.36 kg/m




**JNW-CT1776F**

Glass sash  
Weight : 1.83 kg/m




**JNW-XT1780G**

Glass sash clip  
Weight : 0.20 kg/m




**JNW-XT1778**

mosquito net  
Weight : 0.57 kg/m




**JNW-XT1779**

mosquito net clip  
Weight : 0.08 kg/m



**JNW-XT1781**

Diagonal clip  
Weight : 0.38 kg/m




**DZ-L1559**

Diagonal clip  
Weight : 0.36 kg/m




**JNW-XT1867**

Diagonal clip  
Weight : 0.33 kg/m




**JNW-XT772**

Diagonal clip  
Weight : 0.32 kg/m




**JNW-XT1866**

Diamond shaped clip  
Weight : 0.40 kg/m




**JNW-XT778**

rhomboid clip  
Weight : 0.39 kg/m




**JNW-XT780**

stretch bending clip  
Weight : 0.50 kg/m




### GD-014

Universal slot cover  
Weight : 0.05 kg/m




### JNW-XT1230

Guardrail frame  
Weight : 0.12kg/m



### JNW-XT1231


Grid strip  
Weight : 0.20kg/m



### ZJ115B


115 corner-135 degrees  
Weight : 1.14 kg/m

## 2.0 thickness




### JNW-CT1711G

2.0 Outer Frame  
Weight : 1.93 kg/m




### JNW-CT1713G

2.0 Center Column  
Weight : 2.06 kg/m



### JNW-BK812F


Glue injection frame  
Weight : 1.79 kg/m



### JNW-ZH813F


Glue injection center column  
Weight : 1.92 kg/m

## 3.0 thickness




### JNW-BK781F

3.0 Outer Frame  
Weight : 2.15 kg/m



### JNW-ZH783F



3.0 Center Column  
Weight : 2.27 kg/m




### ZJ115A

115 turns -90 degrees  
Weight : 1.48 kg/m


## ► Assembly Diagram ►►




► Assembly Diagram ►►



► Accessories ►►



# 90-1# New Casement Window >>>



## Product Features :


- ① Ultra-narrow visible surface, customized molded thermal insulation strips, three major series, dozens of opening programmes.
- ② Excellent water tightness and air tightness performance
- ③ multi-cavity structure design, outstanding thermal insulation function, new floor drainage system.

## >>> 90-1 New Casement Window




Mei Tong Flying Aluminum

### ► Universal Aluminium Profiles




#### JNW-CT1249D

outer frame  
Weight : 1.84kg/m




#### JNW-CT1251D

center column  
Weight : 1.87 kg/m




#### JNW-CT1738F

strengthen center column  
Weight : 2.42 kg/m




#### JNW-XT1737F

large glass square clip  
Weight : 0.34 kg/m




#### JNW-XT1739

bending clip  
Weight : 0.59 kg/m




#### JNW-XT1741F

large glass square clip  
Weight : 0.36kg/m




#### DZ-014

bending clip screw cover  
Weight : 0.05 kg/m



#### JNW-XT1721


double glass bevel edge clip  
Weight : 0.29 kg/m



#### JNW-XT1729

three glass sash double thermal break clip  
Weight : 0.27 kg/m

### ► 65 Medium Narrow Glass Sash Series – Double inward Opening




#### JNW-CT1254E

65 medium narrow double inner open glass sash  
Weight: 1.52kg/m




#### JNW-XT267

65 medium narrow sash clip  
Weight: 0.15kg/m




#### JNW-XT1256F


65 medium narrow sash  
Weight: 0.62kg/m


**JNW-XT1677**


65 glass door double inward open double glass clip  
Weight: 0.17kg/m


**JNW-XT1678**

65 double inner open three glass sash  
double thermal break clip  
Weight: 0.15kg/m

**► 55 Slim Glass Sash Series -Double inward Opening**

**JNW-CT1720F**


55 ultra narrow double inner open glass sash  
Weight :1.23 kg/m


**JNW-XT1718**


55 ultra narrow double inner open glass sash  
Weight : 0.5 kg/m


**JNW-XT518**


55 ultra narrow double inner open glass sash clip  
Weight : 0.15 kg/m


**JNW-XT1732F**


55 ultra narrow double inner open  
double glass sash clip  
Weight : 0.16 kg/m


**JNW-XT1731F**


55 double inner open three glass sash  
double thermal break clip  
Weight : 0.12 kg/m

**► 55 Slim Glass Sash Series - Single inward Opening**

**JNW-CT1716F**


55 ultra narrow single inner open sash  
Weight :1.48 kg/m


**JNW-XT1717F**


55 single inner open double glass sash clip  
Weight : 0.23 kg/m


**JNW-XT1715F**

55 single inner open three glass sash  
double thermal break clip  
Weight : 0.2 kg/m

**► 65 Medium Narrow Glass Sash Series - Single inward Opening**

**JNW-CT1255F**


65 medium narrow single inner open glass sash  
Weight: 1.81kg/m


**JNW-XT1676**


65 single inner open three glass sash  
double thermal break clip  
Weight: 0.21kg/m


**JNW-XT1675**

65 single inner open double glass clip  
Weight: 0.23kg/m

**► 90 Glass Sash Series-Single outward Opening**

**JNW-CT1736F**


90 single outward open glass door  
Weight :2.18 kg/m


**JNW-CT1733F**

90 outward open subframe  
Weight : 1.5 kg/m


**JNW-XT1676**

65 single outward open three glass sash  
double thermal break clip  
Weight : 0.21 kg/m



**JNW-XT1675**

65 single inner open double glass clip  
Weight : 0.23 kg/m

**► 90 Glass Sash Series -Single inward Opening Door or Counter Door**

**JNW-CT1272F**

90 single inward open door  
Weight : 2.29 kg/m



**JNW-CT1271F**

double door closing  
Weight : 1.46 kg/m


**JNW-XT1676**

90 three glass sash double  
thermal break clip  
Weight : 2.29 kg/m


► Assembly Diagram ►►



**JNW-XT1675**


90 double glass clip  
Weight : 0.23 kg/m

► Micro Ventilation Double inward Opening Casement




**JNW-CT1723F**

micro ventilation sash  
Weight : 1.3 kg/m




**JNW-XT1718**

55 ultra narrow double inner open glass sash  
Weight : 0.5 kg/m



**JNW-XT518**


55 ultra narrow double inner open glass sash clip  
Weight : 0.15 kg/m



**FG100A**


micro ventilation square tube  
Weight : 1.18 kg/m

► Horizontal - pushing window




**JNW-CT1728F**

flat sliding door  
Weight : 1.9 kg/m



**JNW-CT1725F**

flat sliding sub-frame  
Weight : 1.74 kg/m



**JNW-XT1727**

flat sliding double inner glass clip  
Weight : 0.18 kg/m



90 glass sash  
(double inward open window)





100 glass sash  
(double inward open window)



110 glass sash  
(double inward open window)

customized molded thermal insulation strips, three major series

► Assembly Diagram ►►



► Accessories ►►



90 system external color corde (ZJJM-2-21.4\*21.3)



90 system center column color corner code(JM-P21ZH)



13.5\*1.0\*1.2 stainless steel injection corner piece



micro ventilation hinge



single inner open adhesive strip (JNw9)



double inner open adhesive strip (JNW10)



flat sliding window adhesive strip



17.5\*20 die casting fat sheet



fixed position pad




90 system milling cutter set



swing door hardware (handles, hinges, manual latches)



NICE inward opening and inward tilting hardware (left)



casement window 65 sashes /clip eight molds

# 126 # Side Pressure Sealed Window >>>




## Product Features :

- ① Adopting innovative floor drain drainage system.
- ② Equipped with inward opening mesh, folding hidden mesh and glass guardrail.
- ③ Combine the convenience of sliding windows and the sealing of casement windows.

## >>> 126 Side Pressure Sealed Window




Mei Tong Flying Aluminum




### JNW-CT1568F

outer frame  
Weight: 1.98kg/m




### JNW-CT1570F

center column  
Weight: 2.07kg/m




### JNW-CT1573F

strengthen center column  
Weight: 2.04kg/m




### JNW-CT1571F

center column  
Weight: 1.50kg/m




### JNW-CT1575F

68 glass sash  
Weight: 1.65kg/m




### JNW-XT1646

mesh sub-frame  
Weight: 0.52kg/m




### JNW-XT1224

47 screen sash  
Weight: 0.98kg/m



### JNW-XT518

mesh clip  
Weight: 0.12kg/m



### JNW-XT1580

top guide rail  
Weight: 0.49kg/m




### JNW-XT1579

bottom guide rail  
Weight: 0.39kg/m




### JNW-XY1577

inner baffle  
Weight: 0.16kg/m




### JNW-XT1576

outer baffle  
Weight: 0.31kg/m




### JNW-XT1581

cover for center column  
Weight: 0.11kg/m




### JNW-XT1476F

glass sash with hook  
Weight: 0.29kg/m




### JNW-XT1454

glass sash clip  
Weight: 0.18kg/m




### JNW-XT1442

glass guardrail  
Weight: 0.52kg/m




### JNW-XT1003

glass guardrail  
Weight: 0.50kg/m



### JNW-XT1433

fixed clip  
Weight: 0.2kg/m




### JNW-XT1648

skew clip  
Weight: 0.37kg/m



### JNW-XT1583

side seal cover  
Weight: 0.11kg/m




### JNW-XT1578

side seal lock slot  
Weight: 0.38kg/m




### JNW-XT1582F

glass sash lock slot  
Weight: 0.24kg/m




### JNW-XT1651

fixed guardrail frame  
Weight: 0.38kg/m




### JNW-XT1652

side seal  
Weight: 0.08kg/m




### JNW-XT1647F

closing  
Weight: 0.76kg/m



### JNW-XT1231

grid strip  
Weight: 0.20kg/m




126 side pressure door



126 side pressure window


► Assembly Diagram ►►

126 side pressure door




► Assembly Diagram ►►

126 side pressure window




# 100 # Drifting Sliding Window >>>



## Product Features :


- ① Unique sliding opening method, does not occupy indoor space, avoids the trouble of accidental collisions.
- ② Extrusion type of closure, waterproof and more sealed.
- ③ Equipped with mosquito net as standard.

## >>> 100 Drifting Sliding Window




### JNW-CT1587F

drifting side frame  
Weight: 1.72kg/m




### JNW-CT1589F

drifting center column  
Weight: 1.865kg/m




### JNW-CT1590F

drifting sub-frame  
Weight: 1.18kg/m




### JNW-CT1592F

drifting glass sash  
Weight: 1.52kg/m




### JNW-XT1594

glass sash clip  
Weight: 0.21kg/m




### JNW-XT1599

screen sash  
Weight: 0.69kg/m




### DZ-1118

mesh clip  
Weight: 0.1kg/m




### JNW-XT1650

guardrail frame  
Weight: 0.23kg/m




### JNW-XT1596

drifting window vertical lock slot  
Weight: 0.41kg/m




### JNW-XT1579F

opening horizontal clip  
Weight: 0.43kg/m




### JNW-XT1598

opening vertical clip  
Weight: 0.34kg/m




### JNW-XT1595

drifting window top guide rail  
Weight: 0.11kg/m




**JNW-XT1600**

inner opening sash transfer groove  
Weight: 0.23kg/m



**JNW-XT1644**

accessories level  
Weight: 0.11kg/m




**JNW-XT1645**

top and bottom wheel level  
Weight: 0.18kg/m




**JNW-XT051F**

two-color grid strip  
Weight: 0.20kg/m



**GD-036A**

integrated grid strip  
Weight: 0.37kg/m




**JNW-XT1003**

glass guardrail  
Weight: 0.5kg/m



► Assembly Diagram ►►





Alex Wan



Wechat

(+86)13507090802



WhatsApp



Michael Hua



Wechat

(+86)15302856248



WhatsApp



TikTok



Kelly



Wechat

(+86)13724616416



WhatsApp



Max Xie



Wechat

(+86)15363626400



WhatsApp



Jackt



Wechat

(+86)18928577987



**Mei Tong Flying Aluminum**  
Guang Dong Mei Tong Flying Aluminum Co.,Ltd

www.meitongflying.com

E-mail address : meitongflyaluminum@foxmail.com

Address : LaiMeiTong Aluminium industry, Yong'an Avenue, Guanyao Town, Nanhai District, Foshan City, Guangdong Province, China.



**Mei Tong  
Flying Aluminum**

**20 YEARS**  
FOR INTERIOR DOORS  
INDUSTRY



Research & Development &  
Warehouse Base For High-End  
Intelligent Doors And Windows Aluminum Profiles



# Six reasons to choose MeiTong Flying Aluminum Co., Ltd

Cutting-edge design technology, leading the market trend benchmark.

## PREFORM EXTRUSION

We have independently constructed 50 extrusion lines to produce raw materials with high standards in a fully automated system! MeiTong Flying Aluminum guarantees your products will be worry-free!

## SPOT GOODS STOCK

With a stock of 12000 tons aluminum profiles, we are always ready to safeguard our customers! Enabling customers to achieve zero-inventory operation! MeiTong Flying Aluminum helps you save capital!

## PRODUCT ACCESSORIES

Our company not only supplies aluminum profiles, but also has all the necessary hardware accessories for all our products, even machinery and equipment. Everything is available! You don't need to search everywhere for accessories after finding the materials. MeiTong Flying Aluminum enables you to get new products all in one step!

## SURFACE SPRAYING

Independently constructing 10 surface production lines. We offer all customers the best, fastest, and most cost-effective diversified products! MeiTong Flying Aluminum equips you with the most competitive products!

## PRODUCT RESEARCH AND DEVELOPMENT

The company has adhered to a product renewal plan for 10 years like clockwork. With twice-yearly products updates and upgrades, all customers can concentrate wholeheartedly on the windows and doors business. There is no need to worry about not being able to find good products. MeiTong Flying Aluminum saves you the trouble!

## TECHNOLOGY SUPPLY

The company has a large number of designers and technicians in reserve! We can provide online assistance or on-site technical services to solve the technical problems in product production, installation and training for all new and old customers at the fastest speed!



GOOD-LOOKING, AIRTIGHT AND SAFE.  
PRACTICAL, STYLISH AND  
AESTHETICALLY PLEASING.



# Company Profile

MeiTong Flying Aluminum Co., Ltd combines the resources and advantages of the 9 branch companies of MeiTong ShiDai Group, taking the foreign trade business as our mission. It specializes in the wholesale of high-end product aluminum profiles and finished products such as system doors and windows, side pressure sealed window, floating sliding window, casement window, panoramic door, heavy-duty lifting sliding door, swing door, luxury sunroom and so on.

"Let outstanding door and window enterprises become our customers and let our customers become outstanding door and window enterprises" is our precise positioning for our company products.

Our powerful product development team survey the global development direction of door and window systems, grasps the core requirements of customers and leads the trend of the times.



**Mei Tong Flying Aluminum**

300+ SELF-DEVELOPED PATENTS CERTIFIED  
ENSURING PRODUCT QUALITY



# CUTTING-EDGE DESIGN TECHNOLOGY



**Mei Tong Flying Aluminum**



## PRODUCT CATALOG

### 40 Nice system 05

|                               |    |
|-------------------------------|----|
| Hanging sliding door profiles | 08 |
| Embedded plaster profiles     | 12 |
| Sliding door profile          | 15 |
| Pocket door profile           | 20 |
| Folding door profile          | 26 |
| 4013 Swing door profile       | 30 |
| 4010 Swing door profile       | 33 |
| PT door profile               | 38 |

### 40 Perfect system 41

|                               |    |
|-------------------------------|----|
| Hanging sliding door profiles | 43 |
| Sliding door profile          | 47 |
| Swing door profile            | 51 |
| Folding door profile          | 56 |
| Pocket door profile           | 59 |
| Pivot door profile            | 63 |

### 35/40 Ultimate system 65

|                               |    |
|-------------------------------|----|
| Hanging sliding door profiles | 69 |
|-------------------------------|----|

|                             |    |
|-----------------------------|----|
| Sliding door profiles       | 73 |
| Swing door profile          | 79 |
| Ghost door profile          | 85 |
| French vintage door profile | 87 |

### 45 Elegant system 93

|                               |     |
|-------------------------------|-----|
| Hanging sliding door profiles | 97  |
| Sliding door profile          | 100 |
| Swing door profile            | 105 |
| Ghost door profile            | 111 |
| Pivot door profile            | 114 |
| Pocket door profile           | 116 |
| French vintage door profile   | 119 |
| Partitions series profile     | 123 |

### 3550 Medium narrow system 125

|                               |     |
|-------------------------------|-----|
| Hanging sliding door profiles | 128 |
| Sliding door profiles         | 131 |
| Swing door profiles           | 136 |



COLOR CARD




Jazz black   Moonlight gray   Tata white   Cocoa gray   Gunmetal grey   Electrophoretic black pearl   Brushed and Polished Rose Gold   Sand - blasted Antique Bronze   Brushed Vifa Gold   Sand - blasted Champagne



Antique - style Bronze   Sand - blasted rose gold   New porcelain platinum gray   New porcelain cyan gray   Elegant porcelain black   Elegant porcelain cocoa white   Elegant porcelain cocoa gray   Moonlight gray   Graphite gray




Universal profiles




**DX-97A**

13 vertical door frame  
Weight: 0.590kg/m  
Thickness : 2.3mm




**DX-100A**

16 vertical door frame  
Weight: 0.790kg/m  
Thickness : 2.3mm




**DX7A**

13 straight door frame  
Weight: 0.251kg/m  
Thickness : 1.5mm




**DX-98**

13 rounded door frame  
Weight: 0.979kg/m  
Thickness : 1.5mm




**DX-99**

13 door frame with hook  
Weight: 0.266kg/m  
Thickness : 1.5mm




**DX-101**

16 straight door frame  
Weight: 0.281kg/m  
Thickness : 1.5mm




**DX-104**

16 rounded door frame  
Weight: 0.261kg/m  
Thickness : 1.5mm




**DX-105**

16 door frame with hook  
Weight: 0.295kg/m  
Thickness : 1.5mm




**DX44**

13 corner  
Weight: 0.305kg/m  
Thickness : 1.5mm




**DX9A**

13 closing  
Weight: 0.280kg/m  
Thickness : 1.5mm




**DX-109**

16 corner  
Weight: 0.317kg/m  
Thickness : 1.5mm




**DX-106**


16 closing  
Weight: 0.309kg/m  
Thickness : 1.5mm


**DX-83**


Top door frame  
Weight: 0.788kg/m  
Thickness : 2.0mm


**DX10**

Bottom door frame  
Weight: 0.686kg/m  
Thickness : 1.9mm


**DX18A**


Trim  
Weight: 0.382kg/m  
Thickness : 1.5mm


**DX-114**


Trim  
Weight: 0.286kg/m  
Thickness : 1.0mm


**DX28**


F strip  
Weight: 0.133kg/m  
Thickness : 1.5mm


**DX-72**


Door trim profile  
Weight: 0.459kg/m  
Thickness : 2.3mm


**DX-113**

Trim  
Weight: 0.494kg/m  
Thickness : 1.0mm


**DX-103**

Trim  
Weight: 0.576kg/m  
Thickness : 1.4mm


**D-A470P**


Door casing profile  
Weight: 0.484kg/m  
Thickness : 0.8mm


**DX21**


F strip  
Weight: 0.125kg/m  
Thickness : 1.5mm




## Hanging sliding door profiles


**DX-88**


Single hanging track  
Weight: 0.978kg/m  
Thickness : 1.8mm


**DX-89**


Double hanging track  
Weight: 1.799kg/m  
Thickness : 1.8mm


**DX-90**


Triple hanging track  
Weight: 2.525kg/m  
Thickness : 1.8mm


**DX-52**


Side hanging track  
Weight: 1.780kg/m  
Thickness : 2.5mm


**DX2**


Pocket door track  
Weight: 1.966kg/m  
Thickness : 2.5mm


**DX14B**


Hanging track vertical cover  
Weight: 0.192kg/m  
Thickness : 1.4mm


**DX16**


Hanging track middle cover  
Weight: 0.190kg/m  
Thickness : 1.1mm


**DX15**


Hanging track side cover  
Weight: 0.093kg/m  
Thickness : 1.1mm


**DX17**


Hanging track side cover  
Weight: 0.153kg/m  
Thickness : 1.1mm


**DX-94**


Single side seal  
Weight: 0.430kg/m  
Thickness : 1.1mm


**DX-95**

Double side seal  
Weight: 0.722kg/m  
Thickness : 1.1mm


**DX-96**


Triple side seal  
Weight: 1.037kg/m  
Thickness : 1.1mm





### DX-110

Four side seal  
Weight: 1.585kg/m  
Thickness : 1.3mm

### Assembly Drawing



### Assembly Drawing





## Common Hardware



SK703 Stainless Steel  
Miter Screws  
(for Flat Materials)



BT103 wrapped pack  
corner code (9\*9.2)



Corner Connector  
(7.3\*1.4)



Corner Connector with  
Screws (14.6\*1.8)



Nice Closing and Corner  
Magnetic Strips (4.4\*2.8)



(3.4\*4) wool Strip



Nice Track Magnetic  
Strips (8.35\*1.59)



BF113 Side Seal Strip



N-998 Quick-Drying  
Glass Adhesive



Nice System Regular  
Tian Lock



Nice System Handle



Side Hanging Rail  
Plastic Cover Plate



Nice System Double-Damping  
Hanging Wheel  
(Regular Version)



DX115 Three-Connected  
Hanging Sliding




DX115 Four-Connected  
Hanging Sliding



Nice System +0  
Small Accessories




## Embedded plaster profiles




### DX-60

Plaster single track profile  
Weight: 1.745kg/m  
Thickness : 2.0mm




### DX-61

Plaster double track profile  
Weight: 2.136kg/m  
Thickness : 2.0mm




### DX-62

Plaster triple track profile  
Weight: 2.673kg/m  
Thickness : 2.0mm




### DX-88

Single hanging track  
Weight: 0.978kg/m  
Thickness : 1.8mm




### DX-89

Double hanging track  
Weight: 1.799kg/m  
Thickness : 1.8mm




### DX-90

Triple hanging track  
Weight: 2.525kg/m  
Thickness : 1.8mm




### DX-86

Plaster side cover  
Weight: 0.139kg/m  
Thickness : 0.7mm




### DX-87

Plaster middle cover  
Weight: 0.231kg/m  
Thickness : 0.7mm



### DX16


Hanging track middle cover  
Weight: 0.190kg/m  
Thickness : 1.1mm




### DX15

Hanging track side cover  
Weight: 0.093kg/m  
Thickness : 1.1mm

Assembly Drawing




Common Hardware






Sliding door profile




**DX-91A**

Single upper track  
Weight: 0.769kg/m  
Thickness : 1.0mm




**DX-92A**

Double upper track  
Weight: 1.287kg/m  
Thickness : 1.0mm




**DX-93A**

Triple upper track  
Weight: 1.714kg/m  
Thickness : 1.0mm



**DX-111A**

Four upper track  
Weight: 2.178kg/m  
Thickness : 1.5mm



**DX48**

Single bottom track  
Weight: 0.268kg/m  
Thickness : 1.8mm




**DX-55**

Double bottom track  
Weight: 0.518kg/m  
Thickness : 2.0mm




**DX-56**

Triple bottom track  
Weight: 0.747kg/m  
Thickness : 2.0mm




**DX-112**

Four bottom track  
Weight: 0.976kg/m  
Thickness : 1.3mm




**DX47A**

Sliding side and middle cover  
Weight: 0.113kg/m  
Thickness : 1.1mm




**DX-94**

Single side seal  
Weight: 0.430kg/m  
Thickness : 1.1mm




**DX-95**

Double side seal  
Weight: 0.722kg/m  
Thickness : 1.1mm




**DX-96**

Triple side seal  
Weight: 1.037kg/m  
Thickness : 1.1mm



**DX-110**


Four side seal  
Weight: 1.585kg/m  
Thickness : 1.3mm







**DX16**

Hanging track middle cover  
Weight: 0.190kg/m  
Thickness : 1.1mm

Assembly Drawing



Assembly Drawing



Common Hardware



SK703 Stainless Steel  
Miter Screws  
(for Flat Materials)



BT103 wrapped pack  
corner code (9\*9.2)



Corner Connector  
(7.3\*1.4)



Corner Connector with  
Screws (14.6\*1.8)



Nice Closing and Corner  
Magnetic Strips (4.4\*2.8)



(3.4\*4) wool Strip



Nice Track Magnetic  
Strips (8.35\*1.59)



BF113 Side Seal Strip



N-998 Quick-Drying  
Glass Adhesive



Nice System Regular  
Tian Lock



Nice System Handle



Low-Rail Round-  
Cap Stainless Steel  
Guide Rail




Self-Adhesive Groove-Free  
Stainless Steel Guide Rail



COLOR CARD




Pocket door profile




**DX-85**

Top door frame  
Weight: 0.752kg/m  
Thickness : 2.0mm




**DX10**

Bottom door frame  
Weight: 0.686kg/m  
Thickness : 1.9mm




**DX2**

Pocket door track  
Weight: 1.966kg/m  
Thickness : 2.5mm




**DX16**

Hanging track middle cover  
Weight: 0.190kg/m  
Thickness : 1.1mm




**DX15**

Hanging track side cover  
Weight: 0.093kg/m  
Thickness : 1.1mm




**DX17**

Hanging track side cover  
Weight: 0.153kg/m  
Thickness : 1.1mm




**DX-94**

Single side seal  
Weight: 0.430kg/m  
Thickness : 1.1mm




**DX-95**

Double side seal  
Weight: 0.722kg/m  
Thickness : 1.1mm




**DX-96**

Triple side seal  
Weight: 1.037kg/m  
Thickness : 1.1mm



**DX-110**

Four side seal  
Weight: 1.585kg/m  
Thickness : 1.3mm




**DX20**


Pocket F strip  
Weight: 0.513kg/m  
Thickness : 1.5mm





Assembly Drawing



Assembly Drawing



Assembly Drawing



Common Hardware



SK703 Stainless Steel  
Miter Screws  
(for Flat Materials)



BT103 wrapped pack  
corner code (9\*9.2)



Corner Connector  
(7.3\*1.4)



Corner Connector with  
Screws (14.6\*1.8)



Nice Closing and Corner  
Magnetic Strips (4.4\*2.8)



(3.4\*4) wool Strip



Nice Track Magnetic  
Strips (8.35\*1.59)



BF113 Side Seal Strip



N-998 Quick-Drying  
Glass Adhesive



Nice System Regular  
Tian Lock



Nice System Handle



Pocket Door Handle



Nice System Pocket Door  
Accessories (Assembly)



COLOR CARD




Jazz black   Moonlight gray   Tata white   Cocoa gray   Gunmetal grey   Electrophoretic black pearl   Brushed and Polished Rose Gold   Sand - blasted Antique Bronze   Brushed Vifa Gold   Sand - blasted Champagne



Antique - style Bronze   Sand - blasted rose gold   New porcelain platinum gray   New porcelain cyan gray   Elegant porcelain black   Elegant porcelain cocoa white   Elegant porcelain cocoa gray   Moonlight gray   Graphite gray



Folding door profile




**DX9A**

13 closing  
Weight: 0.280kg/m  
Thickness : 1.5mm




**DX-85**

Folding door upper and bottom door frame  
Weight: 0.752kg/m  
Thickness : 2.0mm




**DX10**

Bottom door frame  
Weight: 0.686kg/m  
Thickness : 1.9mm




**DX-88**

Single hanging track  
Weight: 0.978kg/m  
Thickness : 1.8mm




**DX14B**

Hanging track vertical side cover  
Weight: 0.192kg/m  
Thickness : 1.4mm



**DX15**

Hanging track side cover  
Weight: 0.093kg/m  
Thickness : 1.1mm




**DX17**


Hanging track side cover  
Weight: 0.153kg/m  
Thickness : 1.1mm



## Assembly Drawing



## Common Hardware






COLOR CARD




4013 Swing door profile




**DX-115**

Door frame  
Weight: 0.764kg/m  
Thickness : 5.0mm




**DX-119**

Door frame  
Weight: 0.432kg/m  
Thickness : 1.4mm




**DX-116**

Push in door jamb  
Weight: 0.591kg/m  
Thickness : 1.2mm




**DX-117**

Negative casing frame  
Weight: 0.594kg/m  
Thickness : 1.2mm



**DX-118**

F strip  
Weight: 0.067kg/m  
Thickness : 0.9mm



**D-A470P**



Door casing profile  
Weight: 0.484kg/m  
Thickness : 0.8mm



**DX-114**

Trim  
Weight: 0.286kg/m  
Thickness : 1.0mm

Assembly Drawing



Common Hardware



DX115 Aluminum Corner  
Code for vertical door frame  
(3.3\*23.45)



BT103 Wrapped  
Pack Corner Code  
(9\*9.2)



DX116 Outer  
Frame Corner  
Code



DX115 Swing Door  
Lock



40 External Hinges



Plastic for Hinged  
Door Packaging  
(without Straps)



Corner Connector  
with Screws  
(14.6\*1.8)



Corner  
Connector  
(7.3\*1.4)



D-A622 Top and  
Bottom Hinges (Left)




D-A622 Top and  
Bottom Hinges (Right)



D-A624 Bolt Lock

# 4010 Swing door profile




## D-A622

Door frame  
Weight: 0.827kg/m  
Thickness : 2.0mm




## D-A623

Bottom door frame  
Weight: 0.865kg/m  
Thickness : 2.0mm




## D-A625B

Push in door jamb  
Weight: 1.135kg/m  
Thickness : 1.8mm




## D-A626

Plaster frame  
Weight: 0.849kg/m  
Thickness : 1.8mm




## D-A633

Buffer upper horizontal frame  
Weight: 1.013kg/m  
Thickness : 1.6mm




## D-A617A

Buffer vertical frame  
Weight: 0.787kg/m  
Thickness : 1.8mm




## D-A632B

Buffer frame casing line  
Weight: 0.44kg/m  
Thickness : 1.5mm




## D-A621B

Buffer plaster frame  
Weight: 0.160kg/m  
Thickness : 1.8mm




## D-A619

F strip  
Weight: 0.223kg/m  
Thickness : 1.0mm




## D-A624

Closing  
Weight: 0.883kg/m  
Thickness : 1.5mm



## DX18A




Trim  
Weight: 0.382kg/m  
Thickness : 1.5mm



## D-A470P


Door casing profile  
Weight: 0.484kg/m  
Thickness : 0.8mm

# Assembly Drawing





Assembly Drawing



Common Hardware






COLOR CARD




PT door profile




**DX-76**

Frame  
Weight: 0.465kg/m  
Thickness : 1.2mm




**DX-77**

PT upper track  
Weight: 0.761kg/m  
Thickness : 1.6mm




**DX-78**

Upper door frame  
Weight: 0.289kg/m  
Thickness : 2.0mm




**DX-79**

Bottom door frame  
Weight: 0.261kg/m  
Thickness : 1.2mm




**DX-80**

Door frame with hook  
Weight: 0.333kg/m  
Thickness : 1.2mm



**DX-81**




Door frame  
Weight: 0.509kg/m  
Thickness : 1.2mm



**DX-82**

Upper track linker  
Weight: 0.125kg/m  
Thickness : 1.1mm

Assembly Drawing



Common Hardware



PT Door Hardware Assembly (Left)



PT Door Hardware Assembly (Right)



DX76 Magnetic Stripe (12.4\*3.2 with Rubber Coating)



DX77 Magnetic Stripe (12\*3.8)



DX-76 Sealing Strip



DX-77 Top Rail Strip



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Universal profiles



**SK732A**

Vertical door frame  
Weight: 0.446kg/m  
Thickness: 1.5mm




**SK733A**

Vertical door frame  
Weight: 0.470kg/m  
Thickness: 1.5mm




**SK734A**

Vertical door frame  
Weight: 0.493kg/m  
Thickness: 1.5mm




**SK727**

Vertical door frame  
Weight: 0.486kg/m  
Thickness: 1.5mm




**OPK-A203-40**

Door frame  
Weight: 0.226kg/m  
Thickness: 1.5mm




**OPK-204-40**

Door frame with hook  
Weight: 0.279kg/m  
Thickness: 1.5mm




**OPK-A229**

Door frame  
Weight: 0.232kg/m  
Thickness: 1.5mm




**SK794**

Door frame with hook  
Weight: 0.232kg/m  
Thickness: 1.5mm




**SK661**

45 degrees corner  
Weight: 0.316kg/m  
Thickness: 1.0mm




**SK731A**

Top and bottom door frame  
Weight: 0.772kg/m  
Thickness: 1.5mm




**SK728**

Top and bottom door frame  
Weight: 0.691kg/m  
Thickness: 1.5mm




**SK598**


Closing  
Weight: 0.229kg/m  
Thickness: 1.3mm

**SK599**


Closing  
Weight: 0.473kg/m  
Thickness : 1.0mm

**BT060**


Door casing profile  
Weight: 0.627kg/m  
Thickness : 0.8mm

**D-A550**


F strip  
Weight: 0.088kg/m  
Thickness : 1.0mm

**OPK-A101H**


Single hanging track  
Weight: 1.292kg/m  
Thickness: 2.5mm

**SG198**


Double hanging track  
Weight: 2.322kg/m  
Thickness: 2.5mm

**SG199**


Triple hanging track  
Weight: 3.389kg/m  
Thickness: 2.5mm

**BT070H**


Trim  
Weight: 0.407kg/m  
Thickness : 1.2mm

**BT069**

Trim  
Weight: 0.424kg/m  
Thickness : 1.2mm

**BT058H**

Trim  
Weight: 0.345kg/m  
Thickness : 1.2mm

**OPK-A102H**


High hanging track  
Weight: 1.405kg/m  
Thickness : 2.5mm

**D163A**


Middle cover  
Weight: 0.159kg/m  
Thickness: 1.4mm

**D162A**

Hanging track side cover  
Weight: 0.098kg/m  
Thickness: 1.4mm

**BT068H**


F strip  
Weight: 0.44kg/m  
Thickness : 1.5mm

**S015**


F strip  
Weight: 0.139kg/m  
Thickness : 1.0mm

**D-A470**


Door casing profile  
Weight: 0.488kg/m  
Thickness : 0.8mm

**SG232**


Hanging track vertical cover  
Weight: 0.195kg/m  
Thickness : 1.0mm

**D161A**


Hanging track vertical cover  
Weight: 0.178kg/m  
Thickness : 1.0mm

**SG209**


Hanging track vertical cover  
Weight: 0.242kg/m  
Thickness : 1.2mm

**Hanging sliding door profiles****OPK-A123**


Low single hanging track  
Weight: 1.010kg/m  
Thickness: 2.3mm

**OPK-A124-40**


Low double hanging track  
Weight: 1.843kg/m  
Thickness: 2.3mm

**OPK-A125-40**


Low triple hanging track  
Weight: 1.883kg/m  
Thickness: 2.3mm

**BF143**


Single side seal  
Weight: 0.500kg/m  
Thickness : 1.2mm

**BF149**

Double side seal  
Weight: 0.865kg/m  
Thickness : 1.2mm


**BF150**

Triple side seal  
Weight: 1.208kg/m  
Thickness : 1.3mm




### BF155

Four side seal  
Weight: 1.69kg/m  
Thickness : 1.4mm



### BF153



Side seal cover  
Weight: 0.090kg/m  
Thickness : 1.2mm



### OPK-A308A

Canceled track cover  
Weight: 0.174kg/m  
Thickness : 1.0mm

## Assembly Drawing



## Common Hardware



Fastener



Perfect handle



Molding for locating holes



Htanging roller set




Hanging roller set  
with linkage




Sliding door roller set

## Sliding door profile




### OPK-A112H

Single top track  
Weight: 0.763kg/m  
Thickness : 1.2mm




### SG200

Double top track  
Weight: 1.228kg/m  
Thickness: 1.2mm




### SG201

Triple top track  
Weight: 1.883kg/m  
Thickness: 1.3mm




### OPK-A322-40

Side cover  
Weight: 2.322kg/m  
Thickness: 2.5mm




### XG136

Single bottom track  
Weight: 0.312kg/m  
Thickness: 1.2mm




### XG137

Double bottom track  
Weight: 0.526kg/m  
Thickness: 1.2mm




### XG138

Triple bottom track  
Weight: 0.74kg/m  
Thickness: 1.2mm




### OPK-A312

Side cover  
Weight: 0.063kg/m  
Thickness: 1.4mm




### OPK-A311-40

Middle cover  
Weight: 0.106kg/m  
Thickness: 1.0mm




### BF143

single side seal  
Weight: 0.500 kg/m  
Thickness: 1.2mm




### BF149

Double side seal  
Weight: 0.865kg/m  
Thickness: 1.2mm




### BF150

Triple side seal  
Weight: 1.208kg/m  
Thickness: 1.3mm



### BF155



Four side seal  
Weight: 1.69kg/m  
Thickness : 1.4mm



### BF153

Side seal cover  
Weight: 0.090kg/m  
Thickness : 1.2mm

## Assembly Drawing





Common Hardware



Fastener



Perfect handle



Molding for locating holes



Htanging roller set



Hanging roller set  
with linkage



Sliding door roller set



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne



Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray




## Swing door profile




### SK599

Closing  
Weight: 0.473kg/m  
Thickness : 1.0mm




### D-A550

F strip  
Weight: 0.088kg/m  
Thickness : 1.0mm




### BT058H

Trim  
Weight: 0.345kg/m  
Thickness : 1.2mm




### D-A563H

Push in door jamb  
Weight: 0.800kg/m  
Thickness : 1.2mm




### D-A613

Push in door jamb  
Weight: 0.756kg/m  
Thickness : 1.2mm




### D-A566

Push in door jamb  
Weight: 0.609kg/m  
Thickness : 1.2mm




### D-A562

Push in door jamb  
Weight: 0.841 kg/m  
Thickness: 1.2mm



### BT056

Door casing with trim  
Weight: 1.078kg/m  
Thickness: 1.1mm







### BT057

Door casing with trim  
Weight: 1.589kg/m  
Thickness: 1.3mm







## Assembly Drawing





Assembly Drawing



Common Hardware



Fastener



Swing door lock



40 system air hinge (not divided into left and right)



Side hidden two-dimensional hinge




Perfect air hinge base



COLOR CARD




Folding door profile




**OPK-A101H**

Single hanging track  
Weight: 1.292kg/m  
Thickness: 2.5mm




**SG232**

Hanging track vertical cover  
Weight: 0.195kg/m  
Thickness: 1.0mm




**D163A**

Middle cover  
Weight: 0.159kg/m  
Thickness: 1.4mm




**D162A**

Side cover  
Weight: 0.098kg/m  
Thickness: 1.4mm



**SK731A**

Top and bottom door frame  
Weight: 0.772kg/m  
Thickness: 1.5mm



**OPK-A350**

Folding door sub-profile  
Weight: 0.213kg/m  
Thickness: 1.2mm




**OPK-A224**

Folding door frame  
Weight: 0.271kg/m  
Thickness: 1.5mm




**OPK-A203-40**

Door frame  
Weight: 0.266kg/m  
Thickness: 1.5mm




**SK732A**

Vertical door frame  
Weight: 0.466kg/m  
Thickness: 1.5mm




**OPK-A301**

Door casing profile  
Weight: 0.631kg/m  
Thickness: 1.0mm




**OPK-A306**

Trim  
Weight: 0.319kg/m  
Thickness: 1.0mm



**OPK-307**


F strip  
Weight: 0.209kg/m  
Thickness: 1.0mm




### BF143

Single side seal  
Weight: 0.500kg/m  
Thickness: 1.2mm


### Assembly Drawing



### COLOR CARD




Pocket door profile




**SK733A**

Vertical door frame  
Weight: 0.470kg/m  
Thickness: 1.5mm




**SK734A**

Vertical door frame  
Weight: 0.493kg/m  
Thickness: 1.5mm




**SK732A**

Vertical door frame  
Weight: 0.466kg/m  
Thickness: 1.5mm




**SK727**

Vertical door frame  
Weight: 0.486kg/m  
Thickness: 1.5mm




**SK731A**

Top and bottom frame  
Weight: 0.772kg/m  
Thickness: 1.5mm




**SK728**

Top and bottom frame  
Weight: 0.691kg/m  
Thickness: 1.5mm




**OPK-A203-40**

Door frame  
Weight: 0.266kg/m  
Thickness: 1.5mm




**OPK-A229**

Door frame  
Weight: 0.219kg/m  
Thickness: 1.5mm




**OPK-A326**

Connecting strip  
Weight: 0.233kg/m  
Thickness: 1.2mm




**OPK-A329**

Frames  
Weight: 0.232kg/m  
Thickness: 1.0mm




**OPK-A327**

Outer frame cover  
Weight: 0.120kg/m  
Thickness: 1.0mm




**OPK-A205**

Door casing profile  
Weight: 0.540kg/m  
Thickness: 1.0mm



**OPK-A328**



Outer frame cover  
Weight: 0.169kg/m  
Thickness: 1.0mm



**OPK-A310**

Hanging track side cover  
Weight: 0.075kg/m  
Thickness: 1.4mm

Assembly Drawing





Common Hardware



Perfect System Pocket Door Bouncer Set



Hanging pulley



Track buffer plate



Long hanging box



Track buffer piece



Short hanging box



Bounce wheel



Lower positioning



Corner joint screw



Glass rubber strip



Top rail damping strip



Hanging pulley buffer



COLOR CARD



Jazz black



Moonlight gray



Tata white



Cocoa gray



Gunmetal grey



Electrophoretic black pearl



Brushed and Polished Rose Gold



Sand - blasted Antique Bronze



Brushed Vifa Gold



Sand - blasted Champagne



Antique - style Bronze



Sand - blasted rose gold




New porcelain platinum gray




New porcelain cyan gray

## Pivot door profile




### SK733A

Vertical door frame  
Weight: 0.470kg/m  
Thickness: 1.5mm




### SK734A

Vertical door frame  
Weight: 0.493kg/m  
Thickness: 1.5mm




### SK732A

Vertical door frame  
Weight: 0.466kg/m  
Thickness: 1.5mm




### SK727

Vertical door frame  
Weight: 0.486kg/m  
Thickness: 1.5mm



### SK731A

Top and bottom frame  
Weight: 0.772kg/m  
Thickness: 1.5mm




### SK728

Top and bottom frame  
Weight: 0.691kg/m  
Thickness: 1.5mm



### OPK-A203-40


Door frame  
Weight: 0.266kg/m  
Thickness: 1.5mm



### OPK-A229

Door frame  
Weight: 0.219kg/m  
Thickness: 1.5mm

## Assembly Drawing



## Common Hardware



Glass pivot door fitting



Fastener



COLOR CARD




Jazz black   Moonlight gray   Tata white   Cocoa gray   Gunmetal grey   Electrophoretic black pearl   Brushed and Polished Rose Gold   Sand - blasted Antique Bronze   Brushed Vifa Gold   Sand - blasted Champagne




Antique - style Bronze   Sand - blasted rose gold   New porcelain platinum gray   New porcelain cyan gray

Universal profiles ( 35system )




**SK791**

Vertical door frame  
Weight: 0.680kg/m  
Thickness : 2.2mm



**SK749**

Vertical door frame  
Weight: 0.564kg/m  
Thickness : 2.5mm




**SK752H**

Vertical door frame  
Weight: 0.508kg/m  
Thickness : 1.5mm




**SK792**

Door frame with hook  
Weight: 0.670kg/m  
Thickness : 1.5mm




**SK750**

Door frame with hook  
Weight: 0.474kg/m  
Thickness : 1.4mm




**SK753H**

Door frame with hook  
Weight: 0.491kg/m  
Thickness : 1.3mm




**SK751H**

Top and bottom door frame  
Weight: 0.631kg/m  
Thickness : 1.4mm




**SK754A**

Top and bottom door frame  
Weight: 0.668kg/m  
Thickness : 1.3mm




**SK578**

Closing  
Weight: 0.219kg/m  
Thickness : 2.0mm



**SK798**


Lock profile for 1+1  
Weight: 0.278kg/m  
Thickness : 1.0mm



**SK556**


45 degrees corner  
Weight: 0.283kg/m  
Thickness : 1.0mm

Universal profiles ( 40system )




**SK760**

Vertical door frame  
Weight: 0.648kg/m  
Thickness : 2.0mm




**SK774**

Vertical door frame  
Weight: 0.860kg/m  
Thickness : 3.5mm




**S947**

Vertical door frame  
Weight: 0.629kg/m  
Thickness : 2.0mm




**SK772**

Vertical door frame  
Weight: 0.793kg/m  
Thickness : 5.0mm




**SK773**

Vertical door frame  
Weight: 0.511kg/m  
Thickness : 2.0mm




**SK763**

Vertical door frame  
Weight: 0.720kg/m  
Thickness : 5.0mm




**SK761H**

Door frame with hook  
Weight: 0.612kg/m  
Thickness : 1.5mm




**SK758H**

Door frame with hook  
Weight: 0.539kg/m  
Thickness : 1.5mm




**SK764H**

Door frame with hook  
Weight: 0.480kg/m  
Thickness : 1.5mm




**SK762H**

Top and bottom door frame  
Weight: 0.745kg/m  
Thickness : 1.5mm




**SK769H**

Top and bottom door frame  
Weight: 0.800kg/m  
Thickness : 1.5mm




**SK765H**

Top and bottom door frame  
Weight: 0.613kg/m  
Thickness : 1.5mm




**SK598**

Closing  
Weight: 0.229kg/m  
Thickness : 1.3mm



**SK597**

Lock profile for 1+1  
Weight: 0.448kg/m  
Thickness : 1.3mm



**SK661**


45 degrees corner  
Weight: 0.316kg/m  
Thickness : 1.0mm

Universal profiles




**S473**

Square grid strip  
Weight: 0.073kg/m  
Thickness : 1.0mm




**BT058H**

Trim  
Weight: 0.345kg/m  
Thickness : 1.2mm



**BT070H**

Trim  
Weight: 0.407kg/m  
Thickness : 1.2mm




**BT091**

F Strip  
Weight: 0.136kg/m  
Thickness : 1.0mm




**BT092**

F strip  
Weight: 0.081kg/m  
Thickness : 1.0mm




**D-A470**

Door casing profil  
Weight: 0.488kg/m  
Thickness : 0.8mm



**BT060**


Door casing profile  
Weight: 0.627kg/m  
Thickness : 0.8mm



**S472**


Rounded grid strip  
Weight: 0.110kg/m  
Thickness : 1.2mm

## Hanging sliding door profiles




### SG225

Single hanging track  
Weight: 0.973kg/m  
Thickness : 2.3mm




### SG226

Double hanging track  
Weight: 1.840kg/m  
Thickness : 2.3mm




### SG227

Triple hanging track  
Weight: 2.706kg/m  
Thickness : 2.3mm




### SG228

Top track splicing strip  
Weight: 0.153kg/m  
Thickness : 1.6mm




### SG230

Middle track cover  
Weight: 0.128kg/m  
Thickness : 1.2mm




### BF160

Four side seal  
Weight: 1.384kg/m  
Thickness : 1.3mm




### BF161

Single side seal  
Weight: 0.301kg/m  
Thickness : 1.0mm



### BF167

Double side seal  
Weight: 0.639kg/m  
Thickness : 1.1mm




### BF163

Triple side seal  
Weight: 0.998kg/m  
Thickness : 1.2mm


## Assembly Drawing

### 35 SERIES SLIDING DOOR WITHOUT BOTTOM TRACK



Assembly Drawing

35 SERIES SLIDING DOOR WITH BOTTOM RAIL



Common Hardware



sliding door lock



sliding door handle



self-adhesive round handle



single roller -2 way soft closing



self tightening top roller



damper



(universal)push-pull anisotropic linkage-8089



push-pull triple linkage



push-pull 2+0 accessories



2+1 linkage roller set




3+1 linkage roller set



stainless steel low profile round cap rail -7802




Sliding door profiles




**SG221**

Single top track  
Weight: 0.693kg/m  
Thickness : 0.9mm




**SG222A**

Double top track (40)  
Weight: 1.063kg/m  
Thickness : 0.9mm




**SG223**

Triple top track(40)  
Weight: 1.555kg/m  
Thickness : 1.2mm




**SG224**

Linked double top track  
Weight: 1.078kg/m  
Thickness : 1.0mm




**XG144**

Single bottom track  
Weight: 0.192kg/m  
Thickness : 1.5mm




**XG145**

Double bottom track  
Weight: 0.376kg/m  
Thickness : 1.5mm




**XG146**

Triple bottom track  
Weight: 0.560kg/m  
Thickness : 1.5mm




**XG147**

Four bottom track  
Weight: 0.794kg/m  
Thickness : 1.6mm



**SG239**

Side cover  
Weight: 0.231kg/m  
Thickness : 1.2mm




**SG229**

Vertical cover  
Weight: 0.196kg/m  
Thickness : 1.2mm




**SG166**

Vertical cover  
Weight: 0.206kg/m  
Thickness : 1.3mm




**SG236**

Connecting strip  
Weight: 0.140kg/m  
Thickness : 1.6mm




**BF161**

Single side seal  
Weight: 0.301kg/m  
Thickness : 1.0mm




**BF167**

Double side seal  
Weight: 0.639kg/m  
Thickness : 1.1mm



**BF163**

Triple side seal  
Weight: 0.998kg/m  
Thickness : 1.2mm





**BF160**

Four side seal  
Weight: 1.384kg/m  
Thickness : 1.3mm



Assembly Drawing

40 SERIES SLIDING DOOR WITHOUT BOTTOM TRACK



Assembly Drawing

40 SERIES SLIDING DOOR WITH BOTTOM RAIL



Common Hardware



sliding door lock



sliding door handle



self-adhesive round handle



single roller -2 way  
soft closing



self tightening top roller



damper



(universal)push-pull  
anisotropic linkage-8089



push-pull triple linkage



push-pull 2+0 accessories



2+1 linkage roller set



3+1 linkage roller set



stainless steel low profile  
round cap rail -7802




COLOR CARD




Jazz black   Moonlight gray   Tata white   Cocoa gray   Gunmetal grey   Electrophoretic black pearl   Brushed and Polished Rose Gold   Sand - blasted Antique Bronze   Brushed Vifa Gold   Sand - blasted Champagne




Antique - style Bronze   Sand - blasted rose gold   New porcelain platinum gray   New porcelain cyan gray


**Swing door profile ( 35system )**

**SK749**


Vertical door frame  
Weight: 0.564kg/m  
Thickness : 2.5mm


**SK752H**


Vertical door frame  
Weight: 0.508kg/m  
Thickness : 1.5mm


**SK791**


Vertical door frame  
Weight: 0.680kg/m  
Thickness : 2.2mm


**D-A561H**


Push in door Jamb  
Weight: 0.766kg/m  
Thickness : 1.2mm


**D-A560**


Push in door Jamb  
Weight: 0.807kg/m  
Thickness : 1.2mm


**SK560**


Closing  
Weight: 0.449kg/m  
Thickness : 1.0mm


**BT058H**


Trim  
Weight: 0.345kg/m  
Thickness : 1.2mm

**Swing door profile ( 40system )**

**SK760**


Vertical door frame  
Weight: 0.648kg/m  
Thickness : 2.0mm


**S947**


Vertical door frame  
Weight: 0.628kg/m  
Thickness : 2.0mm


**SK773A**


Vertical door frame  
Weight: 0.549kg/m  
Thickness : 2.0mm


**SK785**


Vertical door frame  
Weight: 0.666kg/m  
Thickness : 5.0mm


**GT066**


Decorative strip  
Weight: 0.500kg/m  
Thickness : 1.5mm


**GT067**


Lock material  
Weight: 0.191kg/m  
Thickness : 1.5mm


**GT059**


Decorative strip  
Weight: 0.21kg/m  
Thickness : 1.1mm


**D-A613**


Push in door Jamb  
Weight: 0.756kg/m  
Thickness : 1.2mm


**D-A563H**


Push in door Jamb  
Weight: 0.800kg/m  
Thickness : 1.2mm


**D-A566**


Push in door Jamb  
Weight: 0.609kg/m  
Thickness : 1.2mm


**D-A562**


Push in door Jamb  
Weight: 0.841kg/m  
Thickness : 1.2mm


**BT103**

Trim  
Weight: 0.313kg/m  
Thickness : 1.2mm


**SK599**

Closing  
Weight: 0.473kg/m  
Thickness : 1.0mm



**GT065H**

Decorative strip  
Weight: 0.412kg/m  
Thickness : 1.5mm




Assembly Drawing

35 SERIES SWING DOOR



Assembly Drawing

40 SERIES SWING DOOR



Common Hardware



bracket for door frame



bracket for door jamb



swing door lock



top and bottom  
pivot hinge



canceled hinge



gasket



COLOR CARD




Jazz black   Moonlight gray   Tata white   Cocoa gray   Gunmetal grey   Electrophoretic black pearl   Brushed and Polished Rose Gold   Sand - blasted Antique Bronze   Brushed Vifa Gold   Sand - blasted Champagne




Antique - style Bronze   Sand - blasted rose gold   New porcelain platinum gray   New porcelain cyan gray

## Ghost door profile



### SK774


Vertical door frame  
Weight: 0.860kg/m  
Thickness : 3.5mm



### SK762H

Top and bottom door frame  
Weight: 0.745kg/m  
Thickness : 1.5mm


## Assembly Drawing



## Common Hardware




ghost door fittings set



## COLOR CARD




French vintage door profile ( 3510 sliding door )




**SK749**

Vertical door frame  
Weight: 0.564kg/m  
Thickness : 2.5mm




**SK750**

Door frame with hook  
Weight: 0.474kg/m  
Thickness : 1.4mm




**SK783**

Top and bottom door frame  
Weight: 0.531kg/m  
Thickness : 1.4mm




**GT067**

Lock material  
Weight: 0.191kg/m  
Thickness : 1.5mm




**X816**

Double track side column profile  
Weight: 0.623kg/m  
Thickness : 1.0mm




**GT065H**

Decorative strip  
Weight: 0.412kg/m  
Thickness : 1.5mm




**SK752H**

Vertical door frame  
Weight: 0.508kg/m  
Thickness : 1.5mm




**SK560**

Closing  
Weight: 0.449kg/m  
Thickness : 1.0mm




**GT067**

Lock material  
Weight: 0.191kg/m  
Thickness : 1.5mm




**GT066**

Decorative strip  
Weight: 0.500kg/m  
Thickness : 1.5mm



**GD-014**


European standard cover  
Weight: 0.042kg/m  
Thickness : 0.8mm



**D-A546**


Push in door Jamb  
Weight: 0.549kg/m  
Thickness : 1.1mm

French vintage door profile ( 4014 sliding door )




**SG154A**

Hanging track cover  
Weight: 0.216kg/m  
Thickness : 1.2mm




**SG130**

Double hanging track  
Weight: 1.83kg/m  
Thickness : 2.3mm




**BF160**

Four side seal  
Weight: 1.384kg/m  
Thickness : 1.3mm




**SK785**

Vertical door frame  
Weight: 0.666kg/m  
Thickness : 5.0mm




**SK788**

Door frame with hook  
Weight: 0.532kg/m  
Thickness : 1.5mm




**BF136H**

Double Side seal  
Weight: 0.832kg/m  
Thickness : 1.2mm




**BF161**

Single side seal  
Weight: 0.301kg/m  
Thickness : 1.0mm




**BF167**

Double side seal  
Weight: 0.639kg/m  
Thickness : 1.1mm




**BF163**

Triple side seal  
Weight: 0.998kg/m  
Thickness : 1.2mm




**SG152B**

Hanging track cover  
Weight: 0.238kg/m  
Thickness : 1.2mm




**SG155**

Double hanging track  
Weight: 2.079kg/m  
Thickness : 2.3mm




**GT064**

Lock material  
Weight: 0.161kg/m  
Thickness : 1.5mm




### BF160

Four side seal  
Weight: 1.384kg/m  
Thickness : 1.3mm




### BF163

Triple side seal  
Weight: 0.998kg/m  
Thickness : 1.2mm



### BF161


Single side seal  
Weight: 0.301kg/m  
Thickness : 1.0mm



### BF167


Double side seal  
Weight: 0.639kg/m  
Thickness : 1.1mm

## French vintage door profile ( 4012 swing door )



### SK760

Vertical door frame  
Weight: 0.648kg/m  
Thickness : 2.0mm




### GT065H

Decorative strip  
Weight: 0.412kg/m  
Thickness : 1.5mm



### GT067

Lock material  
Weight: 0.191kg/m  
Thickness : 1.5mm






### D-A566

Push in door Jamb  
Weight: 0.609kg/m  
Thickness : 1.2mm




## Assembly Drawing

## SLIDING SERIES



Assembly Drawing

SWING SERIES



Common Hardware



zht128 pumpkin lock  
(black)-8134



vintage door lock  
(gold)-10358



modern lock



s472 external plug-10504



s472 external plug-10504



s473 external plug-10505



l plug




acrylic adhesive(9mm  
width\*2mm thickness)



COLOR CARD




Universal profiles




**SK478H**

Vertical door frame  
Weight: 0.664kg/m  
Thickness : 2.0mm




**SK479H**

Top and bottom door frame  
Weight: 0.859kg/m  
Thickness : 2.0mm




**SK480H**

Door frame with hook  
Weight: 0.733kg/m  
Thickness : 2.0mm




**SK557**

Vertical door frame  
Weight: 0.652kg/m  
Thickness : 2.0mm




**SK559**

Top and bottom door frame  
Weight: 0.842kg/m  
Thickness : 2.0mm




**SK558**

Door frame with hook  
Weight: 0.737kg/m  
Thickness : 2.0mm




**SK520**

Vertical door frame  
Weight: 0.698kg/m  
Thickness : 2.0mm




**SK521**

Top and bottom door frame  
Weight: 0.893kg/m  
Thickness : 2.0mm




**SK522**

Door frame with hook  
Weight: 0.783kg/m  
Thickness : 2.0mm




**SK543H**

Vertical door frame  
Weight: 0.647kg/m  
Thickness : 2.0mm



**SK544H**

Top and bottom door frame  
Weight: 0.808kg/m  
Thickness : 2.0mm




**SK545H**

Door frame with hook  
Weight: 0.698kg/m  
Thickness : 2.0mm




### SK577

Closing  
Weight: 0.254kg/m  
Thickness : 2.0mm




### SK485A

Lock profile for 1+1  
Weight: 0.497kg/m  
Thickness : 1.0mm




### SK490

45 degrees corner  
Weight: 0.497kg/m  
Thickness : 1.0mm



### GT062

Window pane divider strip  
Weight: 0.082kg/m  
Thickness : 0.8mm




### GB044

Window pane divider strip  
Weight: 0.104kg/m  
Thickness : 0.8mm




### BF020B

F strip  
Weight: 0.166kg/m  
Thickness : 1.0mm




### BF020C

P strip  
Weight: 0.163kg/m  
Thickness : 1.0mm




### H682A

Trim  
Weight: 0.500kg/m  
Thickness : 1.1mm




### BT046

Trim  
Weight: 0.563kg/m  
Thickness : 1.1mm




### BT061

Door casing with trim  
Weight: 0.424kg/m  
Thickness : 0.8mm




### D-A470

Door casing profile  
Weight: 0.488kg/m  
Thickness : 0.8mm




### BT060

Door casing profile  
Weight: 0.627kg/m  
Thickness : 0.8mm




### BT064

Door casing profile  
Weight: 3.67kg/m  
Thickness : 2.1mm




### D-A531A

Trim  
Weight: 0.521kg/m  
Thickness : 0.95mm




### D-A548H

Trim  
Weight: 0.268kg/m  
Thickness : 1.2mm




### BT058H

Trim  
Weight: 0.345kg/m  
Thickness : 1.2mm




### BT054

Door casing with trim  
Weight: 1.025kg/m  
Thickness : 1.1mm




### BT055

Door casing with trim  
Weight: 1.435kg/m  
Thickness : 1.3mm




### BT056

Door casing with trim  
Weight: 1.078kg/m  
Thickness: 1.1mm




### BT057

Door casing with trim  
Weight: 1.589kg/m  
Thickness: 1.3mm




### BT052

F strip  
Weight: 0.164kg/m  
Thickness : 1.0mm



### BT053


F strip  
Weight: 0.288kg/m  
Thickness : 1.0mm



### D-A557H


Cap  
Weight: 0.790kg/m  
Thickness : 1.0mm

## Hanging sliding door profiles




### SG129

Single hanging track  
Weight: 1.197kg/m  
Thickness : 2.5mm




### SG127

Double hanging track  
Weight: 1.83kg/m  
Thickness : 2.5mm



### SG128

Triple hanging track  
Weight: 3.127kg/m  
Thickness : 2.5mm




### SG154A

Hanging track cover  
Weight: 0.216kg/m  
Thickness : 1.2mm




### SG137A

Hanging track cover  
Weight: 0.236kg/m  
Thickness : 1.0mm




### SG152B

Cover  
Weight: 0.238kg/m  
Thickness : 1.2mm




### SG100C

Cover  
Weight: 0.281kg/m  
Thickness : 1.2mm




### BF133

Single side seal  
Weight: 0.529kg/m  
Thickness : 1.1mm




### BF128

Double side seal  
Weight: 0.935kg/m  
Thickness : 1.2mm



### BF129




Triple side seal  
Weight: 1.533kg/m  
Thickness : 1.4mm




### BF141

Side seal cover  
Weight: 0.292kg/m  
Thickness : 1.0mm

## Assembly Drawing



## Assembly Drawing



## Common Hardware



bracket for door fram



sliding door lock




2+1 roller set




Single roller set-two way soft closing

## Sliding door profile




### SG112

Single top track  
Weight: 0.907kg/m  
Thickness : 1.2mm




### SG113

Double top track  
Weight: 1.588kg/m  
Thickness : 1.2mm




### SG110

Triple top track  
Weight: 2.22kg/m  
Thickness : 1.4mm



### SG161

Four or 2+0 top track  
Weight: 1.431kg/m  
Thickness : 1.4mm




### SG160A

2+0 cover  
Weight: 0.217kg/m  
Thickness : 1.3mm




### SG160B

Connecting strip  
Weight: 0.099kg/m  
Thickness : 1.6mm




### XG130

Single bottom track  
Weight: 0.334kg/m  
Thickness : 1.2mm




### XG131

Double bottom track  
Weight: 0.614kg/m  
Thickness : 1.2mm




### XG132

Triple bottom track  
Weight: 0.936kg/m  
Thickness : 1.4mm




### BF133

Single side seal  
Weight: 0.529kg/m  
Thickness : 1.1mm




### BF128

Double side seal  
Weight: 0.935kg/m  
Thickness : 1.2mm



### BF129


Triple side seal  
Weight: 1.533kg/m  
Thickness : 1.4mm




**BF141**

Side seal cover  
Weight: 0.292kg/m  
Thickness : 1.0mm

Assembly Drawing



Assembly Drawing



Common Hardware



sliding door lock



top roller-7918



bottom roller-7932



soft closing buffer-8350




1+1 roller set




low rail round cap stainless steel guiderail-7802



COLOR CARD




### Swing door profile




#### SK478H

Vertical door frame  
Weight: 0.664kg/m  
Thickness : 2.0mm




#### SK557

Vertical door frame  
Weight: 0.652kg/m  
Thickness : 2.0mm




#### SK520

Vertical door frame  
Weight: 0.698kg/m  
Thickness : 2.0mm




#### SK543H

Vertical door frame  
Weight: 0.647kg/m  
Thickness : 2.0mm




#### D-A532

Closing  
Weight: 0.515kg/m  
Thickness : 1.0mm




#### D-A545

45 degrees corner  
Weight: 0.979kg/m  
Thickness : 1.5mm




#### D-A527

45 degrees corner  
Weight: 0.745kg/m  
Thickness : 1.2mm




#### H682A

Trim  
Weight: 0.500kg/m  
Thickness : 1.1mm




#### D-A529

Push in door Jamb  
Weight: 0.909kg/m  
Thickness : 1.2mm




#### D-A530

Push in door jamb  
Weight: 0.907kg/m  
Thickness : 1.2mm




#### D-A556H

Push in door Jamb  
Weight: 0.74kg/m  
Thickness : 1.2mm




#### D-A555

Push in door Jamb  
Weight: 0.809kg/m  
Thickness : 1.2mm




#### D-A565H

Push in door Jamb  
Weight: 0.834kg/m  
Thickness : 1.2mm




#### D-A564

Push in door Jamb  
Weight: 0.875kg/m  
Thickness : 1.2mm




#### D-A548H

trim  
Weight: 0.345kg/m  
Thickness : 1.2mm




#### D-A567

Push in door jamb  
Weight: 1.135kg/m  
Thickness : 1.2mm




#### D-A523

P strip  
Weight: 0.181kg/m  
Thickness : 1.0mm




#### GD-014

European standard cover  
Weight: 0.042kg/m  
Thickness : 0.8mm




#### BT058H

Trim  
Weight: 0.345kg/m  
Thickness : 1.2mm




#### D-A531A

Trim  
Weight: 0.521kg/m  
Thickness : 0.95mm




#### D-A543

Center column  
Weight: 0.823kg/m  
Thickness : 2.2mm




#### D-A550

F strip  
Weight: 0.207kg/m  
Thickness : 0.8mm




#### D-A541

Push in door Jamb  
Weight: 0.883kg/m  
Thickness : 2.0mm



#### D-A542


Push in door Jamb  
Weight: 1.5kg/m  
Thickness : 0.757mm




### D-A544

Clip  
Weight: 0.153kg/m  
Thickness : 1.0mm

### Assembly Drawing



### Assembly Drawing



Common Hardware



swing door lock



bracket for door frame



bracket for door jamb



regular hinge



level bolt for double door



glass gasket for 8mm glass



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Ghost door profile ( 4516/4506 )




**SK590**

Vertical door frame  
Weight: 0.872kg/m  
Thickness : 2.0mm



**SK589**




Glass door lower bracket  
Weight: 1.185kg/m  
Thickness : 1.4mm



**SK591**

Glass door upper bracket  
Weight: kg/m  
Thickness : mm

Assembly Drawing



Common Hardware



ghost door fittings set



bracket for door fram



8mm glass gasket




sliding door lock



### COLOR CARD




### Pivot door profile ( 4516 )



#### SK478H


Vertical door frame  
Weight: 0.664kg/m  
Thickness : 2.0mm



#### SK479H

Top and botton door frame  
Weight: 0.859kg/m  
Thickness : 2.0mm

### Assembly Drawing



### Common Hardware



glass pivot door fitting



bracket for door frame




8mm glass gasket



## COLOR CARD




## Pocket door profile ( 4516 )




### SK478H

Vertical door frame  
Weight: 0.664kg/m  
Thickness : 2.0mm




### SK479H

Top and bottom door frame  
Weight: 0.859kg/m  
Thickness : 2.0mm



### SK520



Vertical door frame  
Weight: 0.698kg/m  
Thickness : 2.0mm




### SG129

Top track  
Weight: 1.197kg/m  
Thickness : 2.5mm

## Assembly Drawing



Assembly Drawing



Common Hardware



pocket door handle



bracket for door frame



reboud device



roller set



8mm glass gasket



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

French vintage door profile ( 4516 )




**SK478H**

Vertical door frame  
Weight: 0.664kg/m  
Thickness : 2.0mm




**ZH190**

Decorative strip  
Weight: 0.577kg/m  
Thickness : 1.4mm




**ZHT126H**

Decorative strip  
Weight: 0.336kg/m  
Thickness : 1.0mm




**GT059**

Lock material  
Weight: 0.21kg/m  
Thickness : 1.1mm



**S472**

Decorative strip  
Weight: 0.110kg/m  
Thickness : 1.2mm




**GT044**

Window pane divider strip  
Weight: 0.104kg/m  
Thickness : 0.8mm




**S473**

Rounded lattice  
Weight: 0.073kg/m  
Thickness : 1.0mm




**ZHT125**

Decorative strip  
Weight: 0.385kg/m  
Thickness : 1.0mm




**ZH186**

Decorative strip  
Weight: 0.649kg/m  
Thickness : 2.0mm



**ZHT124**



Decorative strip  
Weight: 0.196kg/m  
Thickness : 1.0mm




**ZHT128**

Lock profile  
Weight: 1.260kg/m  
Thickness : 1.5mm

Assembly Drawing



Assembly Drawing



Common Hardware



perfect angle screw



Ecological door external hinge-6216



ZHT128 pumpkin lock (gold)-8135



center column plastic base-6883



ZH187 milling cutter (SK561)-6880




ZHT124 L-shaped plug-8138



COLOR CARD




Partitions series profile ( 4516 )




**SK478H**

Vertical door frame  
Weight: 0.664kg/m  
Thickness : 2.0mm




**D-A543H**

Center column  
Weight: 0.847kg/m  
Thickness : 2.2mm




**D-A544**

Clip  
Weight: 0.153kg/m  
Thickness : 1.0mm



**D-A541**



Push in door Jamb  
Weight: 0.883kg/m  
Thickness : 2.0mm




**D-A542**

Push in door Jamb  
Weight: 1.5kg/m  
Thickness : 0.757mm

Assembly Drawing



Assembly Drawing



Common Hardware



swing door lock



bracket for door frame



bracket for door jamb



regular hinge



level bolt for double door




8mm glass gasket




SK703 stainless steel corner screws(flat material)-9012



COLOR CARD




Universal profiles




**SK775**

Vertical door frame  
Weight: 0.780kg/m  
Thickness : 1.4mm




**SK776**

Vertical door frame  
Weight: 1.166kg/m  
Thickness : 4.0mm




**SK777**

Door frame with hook  
Weight: 0.207kg/m  
Thickness : 0.8mm




**SK778**

Door frame with hook  
Weight: 0.316kg/m  
Thickness : 0.8mm




**FG030**

Double center column  
Weight: 0.785kg/m  
Thickness : 1.0mm




**FG031**

Triple center column  
Weight: 1.308kg/m  
Thickness : 1.2mm




**BF097A**

Triple side seal cover  
Weight: 0.204kg/m  
Thickness : 1.0mm




**GB044**

Double cover  
Weight: 0.104kg/m  
Thickness : 0.8mm



**GB045**

Triple cover  
Weight: 0.586kg/m  
Thickness : 1.3mm




**FG023B**

Clip  
Weight: 0.149kg/m  
Thickness : 0.8mm




**M997**

Gauze frame  
Weight: 0.252kg/m  
Thickness : 1.0mm




**GT062**

Grid strip  
Weight: 0.082kg/m  
Thickness : 0.8mm




### GT044

Grid strip  
Weight: 0.104kg/m  
Thickness : 0.8mm




### SK779

Closing  
Weight: 0.328kg/m  
Thickness : 1.0mm




### D-A470

Door casing profile  
Weight: 0.488kg/m  
Thickness : 0.8mm



### BT060

Door casing profile  
Weight: 0.627kg/m  
Thickness : 0.8mm




### BF020C

P strip  
Weight: 0.163kg/m  
Thickness : 1.0mm




### BF020B

F strip  
Weight: 0.166kg/m  
Thickness : 1.0mm



### H682A


Trim  
Weight: 0.500kg/m  
Thickness : 1.1mm



### SG239


Concave wheel cover  
Weight: 0.231kg/m  
Thickness : 1.2mm

## Hanging sliding door profiles




### SG225

Single hanging track  
Weight: 0.973kg/m  
Thickness : 2.3mm




### SG226

Double hanging track  
Weight: 1.840kg/m  
Thickness : 2.3mm




### SG227

Triple hanging track  
Weight: 2.706kg/m  
Thickness : 2.3mm




### SG228

Track connecting  
Weight: 0.153kg/m  
Thickness : 1.6mm



### SG229

Side cover  
Weight: 0.196kg/m  
Thickness : 1.2mm




### SG230

Middle cover  
Weight: 0.128kg/m  
Thickness : 1.2mm




### SK492B

Sub-profile  
Weight: 0.496kg/m  
Thickness : 2.5mm




### BF164

Single side seal  
Weight: 0.649kg/m  
Thickness : 1.2mm




### BF165

Double side seal  
Weight: 1.047kg/m  
Thickness : 1.2mm



### BF166


Triple side seal  
Weight: 1.954kg/m  
Thickness : 1.3mm




### BF097A

Triple side seal cover  
Weight: 0.204kg/m  
Thickness : 1.0mm


Assembly Drawing



Common Hardware




## Sliding door profiles




### SG233

Single sliding track  
Weight: 0.782kg/m  
Thickness : 1.2mm




### SG234

Double sliding track  
Weight: 1.265kg/m  
Thickness : 1.2mm




### SG235

Triple sliding track  
Weight: 1.963kg/m  
Thickness : 1.3mm




### XG144

Single bottom track  
Weight: 0.192kg/m  
Thickness : 1.5mm




### XG145

Double bottom track  
Weight: 0.376kg/m  
Thickness : 1.5mm




### XG146

Triple bottom track  
Weight: 0.560kg/m  
Thickness : 1.5mm




### XG148

Double high bottom track  
Weight: 1.603kg/m  
Thickness : 1.4mm




### XG149

Triple high bottom track  
Weight: 2.173kg/m  
Thickness : 1.4mm




### BF164

Single side seal  
Weight: 0.649kg/m  
Thickness : 1.2mm




### BF165

Double side seal  
Weight: 1.047kg/m  
Thickness : 1.2mm



### BF166




Triple side seal  
Weight: 1.954kg/m  
Thickness : 1.3mm




### BF097A

Triple side seal cover  
Weight: 0.204kg/m  
Thickness : 1.0mm

## Assembly Drawing



Assembly Drawing



Common Hardware



door frame aluminum corner code



door jamb corner code



handle



handle lock



top wheel



bottom wheel



high track bottom wheel



hanging track wheel with single buffer



hanging track wheel with double buffer



hanging track wheel without buffer



diamond buffer



short buffer



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Swing door profiles




**SK780**

Door frame  
Weight: 0.599kg/m  
Thickness : 1.2mm




**D-A614**

Push in door jamb  
Weight: 0.769kg/m  
Thickness : 1.1mm




**D-A615**

Push in door jamb  
Weight: 0.785kg/m  
Thickness : 1.1mm




**H682A**

Trim  
Weight: 0.500kg/m  
Thickness : 1.1mm




**D-A550**

F strip  
Weight: 0.207kg/m  
Thickness : 0.8mm




**D-A470**

Door casing profile  
Weight: 0.488kg/m  
Thickness : 0.8mm




**BT060**

Door casing profile  
Weight: 0.627kg/m  
Thickness : 0.8mm



**D-A531A**


Trim  
Weight: 0.521kg/m  
Thickness : 0.95mm



**SK560**

Closing  
Weight: 0.449kg/m  
Thickness : 1.0mm

Assembly Drawing



Common Hardware



aluminum corner code



aluminum corner code



door jamb aluminum corner code



angle plate with screw group



35 system hinge



35 system hinge



swing door lock



swing door lock