



150 Panoramic Sliding Door



Product Features:

01

Ultra-Slim Design with Outstanding Aesthetics

Creates a Minimalist Aesthetic and Showcases Premium Quality

02

Customizable Extra-Tall and Extra-Wide Dimensions

Meets Diverse Needs and Opens Up Broader Views

03

Multiple Operation Options

Available in Manual and Automatic Versions, Combining Technology with Convenience

04

Hidden Bottom Track Design

The Pre-Embedded Track Sits Flush with the Floor for Barrier-Free Access, Providing Greater Safety and Comfort

05

Suitable for Premium Applications

Ideal for High-End Villa Entrances, Luxury Apartments, and Scenic Viewing Areas, Enhancing a Refined Lifestyle

06

Maximum Loading Capacity

It offers the strongest load-bearing capacity and supports the largest panel size among all our current series.



Accessories:


Top Track Roller

Custom-designed and adjusted after the door panel is installed; its anti-sway function ensures smooth operation.




Bottom Track Roller (Load-Bearing Wheel)

Equipped with eight load-bearing bearings and four positioning anti-derailment devices. Each roller supports up to 170 kg. Additional rollers can be installed as required; for example, a 600 kg door panel can use four bottom rollers for high load capacity and stable operation.




Locking System

Custom-designed four-point double-hook anti-pry lock, compliant with European triple-security standards:
(1) resistant to forced prying;
(2) resistant to electric-saw cutting; and
(3) resistant to card unlocking.
Available with either key operation or smart control, combining security with convenience.






Double Tracks Automatic




JNW-CT1861F

Intelligent Double Top Track
Weight: 2.78kg/m



JNW-CT1862F

Intelligent Additional Top Track
Weight: 4.3kg/m



JNW-XT1863


1Intelligent Rail Intermediate Additional Material
Weight: 1.55kg/m



JNW-XT1864


Electric Machine Pallet
Weight: 0.86kg/m

Triple Tracks Automatic




JNW-CT1881F3

Intelligent Triple Top Track
Weight: 4.04kg/m




JNW-CT1882F3

Intelligent Triple Top Track
Weight: 5.77kg/m



JNW-XT1863

Intelligent Track Intermediate Additional Material
Weight: 1.55kg/m




JNW-XT1864

Electric Machine Pallet
Weight: 0.86kg/m




Double Tracks




JNW-CT1798F2

Double Top Track and Side Seal
Weight: 3.28kg/m




JNW-CT1799F2

Double Bottom Track
Weight: 3.46kg/m



JNW-CT1805F2


Embedded Double Bottom Track
Weight: 3.53kg/m



JNW-CT1887F2


Double Track Vertical Drainage
Weight: 2.98kg/m

Triple Tracks




JNW-CT1811F3

Triple Top Track and Side Seal
Weight: 5.0kg/m




JNW-CT1813F3

Triple Bottom Track
Weight: 5.28kg/m



JNW-CT1805F3

Triple Pre-Embedded Bottom Track
Weight: 5.35kg/m





JNW-CT1891F3

Triple Track Vertical Drainage
Weight: 4.47kg/m



Four Tracks




JNW-CT1811F4

Four Top Rail and Side Seal
Weight: 6.7kg/m

JNW-CT1813F4


Four Bottom Track
Weight: 7.0kg/m

Universal




JNW-XT1804

Embedded Additional Rail
Weight: 1.25kg/m




JNW-XT1877

Drainage Cover
Weight: 0.6kg/m



JNW-XT1803F

Floating Track Rail
Weight: 0.9kg/m



JNW-XT1890

Additional Drainage Slot
Weight: 1.11kg/m


PS: Tile option



JNW-XT1810

Tile Side Cover
Weight: 0.18kg/m

PS: Tile option




JNW-XT1815

Tile Middle Cover
Weight: 0.4kg/m




JNW-XT1806F

Small Floating Cover
Weight: 0.17kg/m




JNW-XT1807

Big Floating Cover
Weight: 0.4kg/m




Thickness: 3.0mm
JNW-CT1865F
Universai Vertical Door Frame
Weight: 3.03kg/m




JNW-CT1801F

Top Frame
Weight: 1.1kg/m




JNW-CT1802F

Bottom Frame
Weight: 1.73kg/m




JNW-XT1808D

Interlock
Weight: 2.0kg/m




JNW-XT1892

Lock Slot
Weight: 0.55kg/m




JNW-XT1893

Panoramic Door Closuring
Weight: 0.6kg/m




JNW-XT1816

Side Seal Cover
Weight: 0.34kg/m



JNW-XT1817

Side Seal Middle Cover
Weight: 0.33kg/m




JNW-XT1818

Tiled Floating Rail
Weight: 1.02kg/m




JNW-XT1909

Triple Side Seal Middle Cover
Weight: 0.46kg/m




JNW-XT1812D

Double Interlock
Weight: 1.46kg/m




JNW-XT1740E

Concealed Door Trim
Weight: 0.90kg/m




JNW-CT1915F

4.0 Door Sash
Weight: 3.63kg/m




JNW-CT1918F

Single-Handle Sash
Weight: 2.6kg/m



JNW-XT1913

6.0 Strengthen Interlock
Weight: 2.45kg/m



JNW-XT1919

6.0 Interlock
Weight: 1.37kg/m



JNW-XT1885

Side Connector
Weight: 0.25kg/m




JNW-XT1886

Center Connector
Weight: 0.32kg/m




JNW-XT1883

Security Mesh Cover
Weight: 0.16kg/m



JNW-XT1884


Security Mesh Glazing Bead
Weight: 0.4kg/m




DZ-L2547

Corner
Weight: 2.754kg/m


Corner Assemble Diagram




Double - Tracks




Double Tracks




Pre-Embedded Double Tracks



Pre-Embedded with Vertical Drainage Double Tracks




Pre-Embedded with Tile Cover Double Tracks




Double-Track automatic System


Double-Track With Two-Panel Opening



Double-Track With Four-Panel Opening



Double-Track With Two-Panel Opening + Concealed Door Frame




Decorative Material Finish


Concealed Door Sash
Decorative Material Finish




Triple Tracks




235 Panoramic Sliding Door, 3-Track 3-Panel + Security Mesh



Four Tracks



4-Track With 4-Panel Linked Opening





three tracks



two tracks



five tracks



three tracks with drainage



three tracks without drainage

Accessories



Special Anti-Derailment Upper Roller



Special Lower Roller (Steel Wheel)



12.4x1.0x1.2 Three-Point Stainless Steel Corner Joining Plate



(5x4) Siliconized Waterproof Weatherstrip Pile



1.8 Exposed Drainage Cover



Recessed SS Dust Seal Strip 5x64



Solid Stainless Steel Guide Rail, 7.5m



Special Plastic Fitting Kit for Double-Track (Right)



QJMo1 - Handle Lock (Key Version)



Password & Fingerprint + Locking Rod + Locking Point Keeper



1QJM01 - New Handle Lock (Key Version)



QJM01 - XT1890 Raised Additional Cap (2473)


Automatic Options:



Top Track Roller (Positioning Wheel) - 2pcs/panel



Up and Down Lock




Electric motor accessories set



180 kg Smart motor for Panoramic Doors (Customized Version)



Face Recognition Access Control



Human Body Induction Probe Automatic Door Opening and Closing Equipment



Wireless Infrared Air Sensor Switch



Infrared Induction Anti-Pinch Equipment