


40 Series 106+159 Sliding Door



Stock Color(Can Customize)

height
5mm



ADVANTAGES OF FLAT RAIL

Track height only 5mm
Ultra-thin design
less likely to trip over people
Fits better with the needs of daily life
Enabling more efficient cleaning

height
45mm



ADVANTAGES OF HIGHER RAIL

Track height 45mm
Excellent sealing performance
Water-proof and dust-proof

height
65mm



ADVANTAGES OF SUSPENDE RAIL

Track height 65mm
Exquisite design
good- looking
Outstanding sealing performance

height
45mm



ADVANTAGES OF LIFTING RAIL

Track height 45mm
Support the lifting function
More efficient and reliable

9 Sash Styles

52 × 40 Sash
5.0 mm

52 × 40 Sash
3.0 mm

65 × 40 Sash
2.0 mm

65 × 40 Sash
3.0 mm

65 × 40 Sash
5.0 mm

75 × 40 Sash
3.0 mm

75 × 40 Lift Sash
3.0 mm

18 × 40 Reinforced Interlock Sash
4.0 mm

18 × 40 Reinforced Interlock Sash
4.0 mm

CROSS SERIES
40 SYSTEM
SLIMLINE SLIDING DOOR

8 Track Systems

2-Track Flush Track
Double-Row Rollers

2-Track High Track
Double-Row Rollers

2-Track Lift Track
Single-Row Rollers

2-Track Floating Track
Double-Row Rollers

3-Track Flush Track
Double-Row Rollers

3-Track Floating Track
Double-Row Rollers


3-Track High Track
Double-Row Rollers

3-Track Lift Track
Single-Row Rollers

CROSS SERIES
40 SYSTEM
SLIMLINE SLIDING DOOR




Single Track (1.2 Thickness)




KY01-078

Single Top Track
Weight: 0.76kg/m



KY01-079


Single Side Seal
Weight: 0.60kg/m



KY01-080


Single-Row Rollers Flat Track
Weight: 0.23kg/m

Double Tracks(1.2 Thickness)




KY01-072

1.2 mm Double Side Seal
Weight: 0.97kg/m



DZ-L2240


1.1 mm Double Top Track
Weight: 1.33kg/m



KY01-071


1.2 mm Double Bottom Track
Weight: 1.60kg/m

Double Tracks(1.4 Thickness)




KY01-001

1.4 mm Double Side Seal
Weight: 1.25kg/m



KY01-043

1.4 mm Double Top Track
Weight: 1.64kg/m




KY01-003F

1.4 mm Double Bottom Track
Weight: 1.94kg/m




Double Tracks(2.0 Thickness)




KY01-057

2.0 mm Double Side Seal
Weight: 1.34kg/m



KY01-055


2.0 mm Double Top Track
Weight: 1.72kg/m



KY01-056


2.0 mm Double Bottom Track
Weight: 1.90kg/m

Double Tracks Panoramic




KY01-009

Double-Track Floating Bottom Track
Weight: 2.32kg/m




KY01-025

Floating-Track Bottom Roller Channel
Weight: 0.90kg/m




KY01-010F

Floating-Track Clip
Weight: 0.39kg/m



KY01-011

Floating Cover Plate
Weight: 0.26kg/m



KY01-007

Double Side Seal Cover
Weight: 0.5kg/m


PS: This profile also used in
Two Track Universal

Double Tracks Universal




KY01-005

Double Flat Bottom Track
Weight: 0.51kg/m



KY01-038

Double-Track Flat Bottom Track for Single-Row Rollers
Weight: 0.46kg/m




KY01-006


Double-Track Mullion
Weight: 1.21kg/m




Triple Tracks(1.2 Thickness)

**KY01-075**

1.2 mm Triple Side Seal
Weight: 1.88kg/m


**DZ-L2241**

1.2 mm Triple Top Rail
Weight: 1.86kg/m


**KY01-074**

1.2 mm Triple Bottom Track
Weight: 2.37kg/m


Triple Tracks(1.4 Thickness)

**KY01-037**


1.4 mm Triple Side Seal Single Grooves
Weight: 1.73kg/m

**KY01-036**


1.4 mm Triple-Track Side Seal Double Grooves
Weight: 1.91kg/m

**KY01-012**


1.4 mm Triple-Track Side Seal Triple Grooves
Weight: 2.17kg/m

**KY01-044**

1.4 mm Triple Top Track
Weight: 2.41kg/m

**KY01-014F**


1.4 mm Triple Bottom Track
Weight: 2.79kg/m

**KY01-040 / KY01-004**


Bottom Guide Track for Single / Double-Row Rollers
Weight: 0.31kg/m / 0.33kg/m




Triple Tracks(2.0 Thickness)

**KY01-042**


2.0 mm Triple-Track Side Seal Triple Grooves
Weight: 2.62kg/m

**KY01-058**


2.0 mm Triple Top Track
Weight: 2.55kg/m

**KY01-059**

2.0 mm Triple Bottom Track
Weight: 2.7kg/m


**KY01-060**

2.0 mm Triple-Track Side Seal Double Grooves
Weight: 2.0kg/m


**KY01-061**

2.0 mm Triple-Track Side Seal Single Groove
Weight: 1.92kg/m


Triple Tracks Panoramic

**KY01-015**


Triple-Track Floating Bottom Track
Weight: 3.04kg/m

**KY01-025**

Floating-Track Bottom Roller Channel
Weight: 0.9kg/m

**KY01-010F**


Floating-Track Clip
Weight: 0.39kg/m

**KY01-011**

Floating-Track Cover
Weight: 0.26kg/m




Triple Tracks Universal




KY01-016

Triple-Track Flat Bottom Track
Weight: 0.77kg/m




KY01-039

Triple-Track Flat Bottom Track for Single-Row Rollers
Weight: 0.71kg/m




KY01-017

Triple-Track Mullion
Weight: 1.7kg/m



KY01-018

Triple-Track Side Seal Cover
Weight: 0.72kg/m




KY01-062

Bottom-Track Connector Profile
Weight: 0.21kg/m


PS: This profile used in KY01-059
KY01-071
KY01-074

52 Sash




KY01-069

52 mm Sash - 1.4 mm
Weight: 0.88kg/m




KY01-030

52 mm Sash - 3.0 mm
Weight: 1.34kg/m




KY01-034

52 mm Sash - 5.0 mm
Weight: 1.46kg/m



KY01-031

52 mm Sash Single Interlock
Weight: 0.31kg/m




KY01-032

52 mm Sash Double Interlock
Weight: 0.48kg/m




65 Sash




KY01-067F

65 mm Sash - 1.4 mm
Weight: 0.96kg/m




KY01-076

65 mm Sash - 1.6 mm
Weight: 1.05kg/m




KY01-019

65 mm Sash - 2.0 mm
Weight: 1.32kg/m




KY01-020

65 mm Sash - 3.0 mm
Weight: 1.44kg/m




KY01-035

65 mm Sash - 5.0 mm
Weight: 1.64kg/m



KY01-022


65 mm Single Interlock
Weight: 0.34kg/m



KY01-023


65 mm Double Interlock
Weight: 0.54kg/m

75 Sash




KY01-068

75 mm Sash - 1.4 mm
Weight: 1.05kg/m




KY01-021

75 mm Sash - 3.0 mm
Weight: 1.61kg/m




KY01-049

75 mm Lift-Slide Sash
Weight: 1.74kg/m




KY01-050

75 mm Lifting Sash with Lock Groove
Weight: 0.28kg/m



KY01-022


75 mm Single Interlock
Weight: 0.34kg/m



KY01-023


75 mm Double Interlock
Weight: 0.54kg/m

General




WB01-028

Strengthen Interlock
Weight: 1.79kg/m




WB01-029

Double Interlock
Weight: 1.16kg/m




KY01-033

18 mm Ultra-Slim Interlock
Weight: 0.85kg/m



KY01-046

18 mm Reinforced Interlock
Weight: 1.62kg/m




KY01-024

Meeting
Weight: 0.48kg/m




KY01-008

Fixed Clip
Weight: 0.19kg/m




KY01-026

Fly Sash Middle
Weight: 0.67kg/m




KY01-027

Fly Sash Clip
Weight: 0.19kg/m



KY02-006

60 mm Flat Trim
Weight: 0.49kg/m



D-A470

Buckle Plate
Weight: 0.49kg/m




KY01-028

Interior F-Channel
Weight: 0.14kg/m




KY01-029

Exterior F-Channel
Weight: 0.16kg/m




KY01-047

Frame Cover
Weight: 0.19kg/m




KY01-045

Bottom Track Cover
Weight: 0.24kg/m




JNW-XT1442

Glass Balustrade Profile
Weight: 0.52kg/m



JNW-XT1003


Glass Balustrade Profile
Weight: 0.50kg/m



DZ-L2537


Corner
Weight: 0.84kg/m

Automatic




KY01-053

Automatic Double Top Track
Weight: 1.84kg/m




KY01-054

Automatic Double Top Track Extension
Weight: 1.23kg/m



KY01-064

Automatic Triple Top Track
Weight: 2.11kg/m



KY01-065


Automatic Triple Top Track Extension
Weight: 2.38kg/m



KY01-066


Automatic Triple Top Track Cover Plate
Weight: 0.52kg/m

Square Tube For Corner Open



FG110


110 x 110 mm Square Tube
Weight: 2.33kg/m




FG160x160

160 x 160 mm Square Tube
Weight: 3.45kg/m


Corner Assemble Diagram



Triple Tracks Assemble Diagram



Strengthen Interlock Assemble Diagram






Single Track Assembly Diagram




High Track

Flat Track




Double Tracks Assemble Diagram






Triple Tracks Assemble Diagram




1.2 mm Side Seal

3 Tracks, 3 Panels(2+1)

Fixed Panel



3 Tracks, 6 Panels(4+2)






52 mm Sash - Floating Track

65 mm Sash - High Track


75 mm Sash - Flat Track



52 mm Sash - Floating Track


Fixed Panel

Wide/Narrow Interlock Stiles




2 Tracks, 2 Panels

Reinforced Interlock Stile for Wide/
Narrow Stile Combination




2 Tracks, 4 Panels



52 mm Sash - Floating Track

65 mm Sash - High Track


75 mm Sash - Flat Track




65 mm Sash - High Track


3 Tracks, 3 Panels(2+1)

Fixed Panel




3 Tracks, 6 Panels(4+2)







75 mm Lifting Sash - Double Track

2 Tracks, 2 Panels



2 Tracks, 4 Panels




65 mm Sash - Automatic Double-Track High Track




65 mm Sash - Automatic Triple-Track Flat Track



KY01 - Corner Cleat for 65 mm
Plain Stile (18.6 x 29.8)



KY01 - Corner Cleat for 52 mm
Sash Plain Stile (13.5 x 29.8)



KY01 - Plain-Stile Corner Cleat for 65/75 mm
Wide-Narrow Configuration (29.7ZH x 18.6)



Aluminium Corner Cleat for
Architrave (17.5 x 14 mm H)



KY01 - Fixed-Mullion Corner
Cleat (18.8 x 13.7)



12.4 x 1.0 x 1.2 Three-Point Stainless-Steel
Corner Joint Plate



Silicone-Treated Waterproof Pile
Weatherstrip (12.8 x 5)



KY01 - Upper Waterproof Gasket for
Double Track



Zinc-Alloy Anti-Collision Block



Top Roller for 195 Heavy-Duty Door
(28.5 mm H; for 90/102/112 Systems)



KY01 - Double-Row 4-Wheel Roller for
Raised Track (25 x 13)



KY01 - Double-Row 8-Wheel Roller for
Flat Track (25 x 17)



KY01 - Top Roller, 19.5 x 20 mm H,
for 52 mm Sash



KY01 - Self-Tensioning 4-Wheel Bottom
Roller for 52/65/75 mm Floating Track (25 x 13 x 9)



KY01 - 4-Wheel Bottom Roller for 52 mm
Raised Track (25 x 25 x 9)



Bottom Roller for 63 mm Plain
Stile of 120 Sliding Window (15 x 13)



15 x 17 Single-Row 4-Wheel Roller



KY01 - 19 mm Slimline Lock, Premium Version (Silver)



KY01 - 14 mm Slimline Lock,
Premium Version (Black)



KY01 - 19 mm Slimline Lock, Best-Selling
Version (Silver)



Two-Point Lock Kit for Heavy-Duty Door (28 mm)



(F-3678) Round Rubber Cord



New Plastic Snap-In Strip for
Heavy-Duty Door Jamb



1.8 mm Exposed Drainage Cover