KY01

40 Series sliding door profiles

Double-track 106 mm / Triple-track 159 mm
Original section references. Searchable model data. Direct contact with MT Flying.



Find your section by model code, then confirm its drawing revision, matching hardware and finish before production. This edition transcribes the supplied MT Flying catalogues; it does not establish exclusive design or die ownership.

www.mtflying.com/ky01-sliding-door-system/

One system. Traceable model references.

KY is used here as a series discovery term. KY01 is the model-code family documented for the 40 Series sliding door system. Preserve the full code, including F suffixes; a similar number is not proof of interchangeability.

52 / 65 / 75 mm sash options appear in the supplied selection sheets. The 18 mm reinforced interlock family is represented by KY01-046.

All figures are nominal source-catalogue values. Stock, tolerances, alloy, temper, performance ratings and project-specific panel sizes must be confirmed in the quotation and approved drawing.

Source register

S1: Supplied triple-track profile selection sheet, PDF page 1.
S3: Supplied double-track profile selection sheet, PDF page 1.
S5: Supplied 40 Series double-track, triple-track and locks brochure, 9 PDF spreads / 18 printed pages.
S6: Window profile for Meitong flying(3), PDF pages 27-30 / printed pages 51-58. The KY01-041 frame is on PDF page 28; KY01-030 and KY01-046 are on page 29.

Important revision note: KY01-041 appears in the older catalogue but not in the supplied current double-track selection sheet. KY01-044 is preserved exactly as shown in the original general catalogue; the shorter KY01-44 spelling is not treated as a separately verified model.

Direct factory enquiries

MT Flying | michael@mtflying.com | +86 15302856248
Request model-specific manufacturing confirmation and production documentation with your RFQ. General factory information: www.mtflying.com/aluminum-extrusion-factory-china/

Find a profile

DZ-L2240	Double-track top track
DZ-L2241	Triple-track top track
KY01-001	Double-track side seal
KY01-003F	Double-track bottom track
KY01-004	Double-row roller bottom rail
KY01-005	Double-track flat bottom track
KY01-006	Double-track mullion
KY01-007	Double-track side seal cover
KY01-008	Fixed clip
KY01-009	Double-track floating bottom track
KY01-010F	Suspended clip
KY01-011	Suspended rail cover
KY01-012	Triple-track side seal
KY01-014F	Triple-track bottom track
KY01-015	Triple-track floating bottom track
KY01-016	Triple-track flat bottom track
KY01-017	Triple-track mullion
KY01-018	Triple-track side seal cover
KY01-019	65 mm sash
KY01-020	65 mm sash
KY01-021	75 mm sash
KY01-022	65 / 75 mm single interlock
KY01-023	65 mm double interlock
KY01-024	65 mm sash closing profile
KY01-025	Floating-track roller channel
KY01-026	Mesh centre cross profile
KY01-027	Mesh clip

Find a profile

KY01-028	Inner F groove
KY01-029	Outer F groove
KY01-030	52 mm sash
KY01-031	52 mm single interlock
KY01-032	52 mm double interlock
KY01-033	18 mm ultra-slim interlock
KY01-034	52 mm sash
KY01-035	65 mm sash
KY01-036	Triple-track side seal
KY01-037	Triple-track side seal
KY01-038	Double-track flat rail for single-row rollers
KY01-039	Triple-track flat rail for single-row rollers
KY01-040	Single-row roller bottom rail
KY01-041	Two-track outer frame
KY01-042	Triple-track side seal
KY01-043	Double-track top track
KY01-044	Triple-track top track
KY01-045	Bottom rail cover
KY01-046	18 mm reinforced interlock
KY01-047	Side seal cover
KY01-049	75 mm lift-slide sash
KY01-050	75 mm lift-slide lock groove
KY01-055	Double-track top track
KY01-056	Double-track bottom track
KY01-057	Double-track side seal
KY01-058	Triple-track top track
KY01-059	Triple-track bottom track

Find a profile


KY01-062	Bottom-track connector
KY01-067F	65 mm sash
KY01-068	75 mm sash
KY01-069	52 mm sash
KY01-071	Double-track bottom track
KY01-072	Double-track side seal
KY01-074	Triple-track bottom track
KY01-075	Triple-track side seal
KY01-076	65 mm sash

DZ-L2240

Double-track top track

DZ-L2240(1.1mm)
KY01-043(1.4mm)
KY01-055(2.0mm)

Double Top Track



Nominal wall: 1.1 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: DZ-L2240 | mtflying.com


DZ-L2241

Triple-track top track

DZ-L2241(1.2mm)

KY01-044(1.4mm)
KY01-058(2.0mm)

Triple Top Track




Nominal wall: 1.2 mm
Catalogue weight: Confirm
Section: See source drawing
S1: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: DZ-L2241 | mtflying.com

KY01-001

Double-track side seal






Nominal wall: 1.4 mm
Catalogue weight: 1.25 kg/m
Section: 106 x 28 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-001 | mtflying.com

KY01-003F

Double-track bottom track



Nominal wall: 1.4 mm
Catalogue weight: 1.94 kg/m
Section: 106 x 45 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54


Nominal catalogue data; not a production tolerance or load rating.



Model reference: KY01-003F | mtflying.com

KY01-004

Double-row roller bottom rail



Nominal wall: 1.3 mm
Catalogue weight: 0.33 kg/m
Section: 45 mm
S3: PDF page 1; S6: PDF page 27, printed pages 51-52


Nominal catalogue data; not a production tolerance or load rating.



Model reference: KY01-004 | mtflying.com

KY01-005

Double-track flat bottom track



Nominal wall: 1.6 mm
Catalogue weight: 0.51 kg/m
Section: 106 x 5.1 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54


Nominal catalogue data; not a production tolerance or load rating.




Model reference: KY01-005 | mtflying.com

KY01-006

Double-track mullion






Nominal wall: 1.4 mm
Catalogue weight: 1.21 kg/m
Section: 106 x 28 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-006 | mtflying.com

KY01-007

Double-track side seal cover





Nominal wall: 1.4 mm
Catalogue weight: 0.50 kg/m
Section: 106 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-007 | mtflying.com

KY01-008

Fixed clip






Nominal wall: Confirm
Catalogue weight: 0.19 kg/m
Section: 22.4 mm
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-008 | mtflying.com

KY01-009

Double-track floating bottom track






Nominal wall: 1.4 mm
Catalogue weight: 2.32 kg/m
Section: 106 x 65 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-009 | mtflying.com

KY01-010F

Suspended clip





Nominal wall: Confirm
Catalogue weight: 0.39 kg/m
Section: See source drawing
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-010F | mtflying.com

KY01-011

Suspended rail cover






Nominal wall: Confirm
Catalogue weight: 0.26 kg/m
Section: 42.6 mm
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-011 | mtflying.com

KY01-012

Triple-track side seal



KY01-012
triple-rail three-groove side seal 1.4
Weight: 2.17kg/m


Nominal wall: 1.4 mm
Catalogue weight: 2.17 kg/m
Section: 159 x 28 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-012 | mtflying.com

KY01-014F

Triple-track bottom track



KY01-014F
triple-rail higher bottom rail
Weight: 2.79kg/m


Nominal wall: 1.4 mm
Catalogue weight: 2.79 kg/m
Section: 159 x 45 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-014F | mtflying.com

KY01-015

Triple-track floating bottom track



KY01-015
triple-rail suspended rail
Weight: 3.04kg/m


Nominal wall: 1.4 mm
Catalogue weight: 3.04 kg/m
Section: 159 x 65 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-015 | mtflying.com

KY01-016

Triple-track flat bottom track



Nominal wall: 1.6 mm
Catalogue weight: 0.77 kg/m
Section: 159 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54


Nominal catalogue data; not a production tolerance or load rating.



Model reference: KY01-016 | mtflying.com

KY01-017

Triple-track mullion



Nominal wall: 1.4 mm
Catalogue weight: 1.70 kg/m
Section: 159 x 26 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54


Nominal catalogue data; not a production tolerance or load rating.



Model reference: KY01-017 | mtflying.com

KY01-018

Triple-track side seal cover



Nominal wall: 1.4 mm
Catalogue weight: 0.72 kg/m
Section: 159 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54


Nominal catalogue data; not a production tolerance or load rating.



Model reference: KY01-018 | mtflying.com

KY01-019

65 mm sash




Nominal wall: 2.0 mm
Catalogue weight: 1.32 kg/m
Section: 40 x 65 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-019 | mtflying.com

KY01-020

65 mm sash




Nominal wall: 3.0 mm
Catalogue weight: 1.44 kg/m
Section: 40 x 65 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-020 | mtflying.com

KY01-021

75 mm sash




Nominal wall: 3.0 mm
Catalogue weight: 1.61 kg/m
Section: 40 x 75 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-021 | mtflying.com

KY01-022

65 / 75 mm single interlock




Nominal wall: 1.1 mm
Catalogue weight: 0.34 kg/m
Section: 48 x 40.5 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-022 | mtflying.com

KY01-023

65 mm double interlock




Nominal wall: Confirm
Catalogue weight: 0.54 kg/m
Section: 56.2 x 40.5 mm
S6: PDF page 29, printed pages 55-56

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-023 | mtflying.com

KY01-024

65 mm sash closing profile




Nominal wall: Confirm
Catalogue weight: 0.48 kg/m
Section: 45.4 mm
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-024 | mtflying.com

KY01-025

Floating-track roller channel



Nominal wall: 3.0 mm
Catalogue weight: 0.90 kg/m
Section: 40 mm
S3: PDF page 1; S6: PDF page 27, printed pages 51-52


Nominal catalogue data; not a production tolerance or load rating.



Model reference: KY01-025 | mtflying.com

KY01-026

Mesh centre cross profile



Nominal wall: Confirm
Catalogue weight: 0.67 kg/m
Section: 28 x 45 mm
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.



Model reference: KY01-026 | mtflying.com

KY01-027

Mesh clip



Nominal wall: Confirm
Catalogue weight: 0.19 kg/m
Section: 26.6 mm
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.



Model reference: KY01-027 | mtflying.com

KY01-028

Inner F groove



Nominal wall: Confirm
Catalogue weight: 0.14 kg/m
Section: 28 mm
S6: PDF page 27, printed pages 51-52


Legacy catalogue entry; current availability and compatibility require confirmation.



Model reference: KY01-028 | mtflying.com

KY01-029

Outer F groove



Nominal wall: Confirm
Catalogue weight: 0.16 kg/m
Section: 28 mm
S6: PDF page 27, printed pages 51-52


Legacy catalogue entry; current availability and compatibility require confirmation.



Model reference: KY01-029 | mtflying.com

KY01-030

52 mm sash




Nominal wall: 3.0 mm
Catalogue weight: 1.34 kg/m
Section: 40 x 52 mm; inner opening 28 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-030 | mtflying.com

KY01-031

52 mm single interlock




Nominal wall: 1.1 mm
Catalogue weight: 0.31 kg/m
Section: 40 x 31.1 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-031 | mtflying.com

KY01-032

52 mm double interlock



Nominal wall: Confirm
Catalogue weight: 0.48 kg/m
Section: 56.2 x 31.1 mm
S6: PDF page 29, printed pages 55-56

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-032 | mtflying.com

KY01-033

18 mm ultra-slim interlock




Nominal wall: 4.0 mm
Catalogue weight: 0.85 kg/m
Section: 50.08 x 18.5 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-033 | mtflying.com

KY01-034

52 mm sash




Nominal wall: 5.0 mm
Catalogue weight: 1.46 kg/m
Section: 40 x 52 mm; inner opening 28 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-034 | mtflying.com

KY01-035

65 mm sash




Nominal wall: 5.0 mm
Catalogue weight: 1.64 kg/m
Section: 40 x 65 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-035 | mtflying.com

KY01-036

Triple-track side seal




Nominal wall: 1.4 mm
Catalogue weight: 1.91 kg/m
Section: 159 mm
S1: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-036 | mtflying.com

KY01-037

Triple-track side seal






Nominal wall: 1.4 mm
Catalogue weight: 1.73 kg/m
Section: 159 mm
S1: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-037 | mtflying.com

KY01-038

Double-track flat rail for single-row rollers






Nominal wall: 1.6 mm
Catalogue weight: 0.46 kg/m
Section: 106 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-038 | mtflying.com

KY01-039

Triple-track flat rail for single-row rollers






Nominal wall: 1.6 mm
Catalogue weight: 0.71 kg/m
Section: 159 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-039 | mtflying.com

KY01-040

Single-row roller bottom rail






Nominal wall: 1.3 mm
Catalogue weight: 0.31 kg/m
Section: 45 mm
S3: PDF page 1; S6: PDF page 27, printed pages 51-52

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-040 | mtflying.com

KY01-041

Two-track outer frame






Nominal wall: 2.0 mm
Catalogue weight: 1.57 kg/m
Section: 106 x 28 mm
S6: PDF page 28, printed pages 53-54

Shown in legacy catalogue; absent from current double-track selection sheet. Do not substitute KY01-057 without engineering approval.

Model reference: KY01-041 | mtflying.com

KY01-042

Triple-track side seal






Nominal wall: 2.0 mm
Catalogue weight: 2.62 kg/m
Section: 159 x 28 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-042 | mtflying.com

KY01-043

Double-track top track




Nominal wall: 1.4 mm
Catalogue weight: 1.64 kg/m
Section: 106 x 37 mm
S3: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-043 | mtflying.com

KY01-044

Triple-track top track



Nominal wall: 1.4 mm
Catalogue weight: 2.41 kg/m
Section: 159 x 37 mm
S1: PDF page 1; S6: PDF page 28, printed pages 53-54

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-044 | mtflying.com

KY01-045

Bottom rail cover



Nominal wall: Confirm
Catalogue weight: 0.24 kg/m
Section: 45.8 mm
S6: PDF page 28, printed pages 53-54

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-045 | mtflying.com

KY01-046

18 mm reinforced interlock



Nominal wall: 4.0 mm
Catalogue weight: 1.62 kg/m
Section: 86 x 18 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

18 mm reinforced interlock family. Catalogue wall designation: 4.0 mm. Confirm roller and sash pairing for the selected assembly.

Model reference: KY01-046 | mtflying.com

KY01-047

Side seal cover




Nominal wall: Confirm
Catalogue weight: 0.19 kg/m
Section: 45.7 mm
S6: PDF page 27, printed pages 51-52

Legacy catalogue entry; current availability and compatibility require confirmation.

Model reference: KY01-047 | mtflying.com

KY01-049

75 mm lift-slide sash



Nominal wall: 3.0 mm
Catalogue weight: 1.74 kg/m
Section: 40 x 75 mm
S3: PDF page 1; S6: PDF page 29, printed pages 55-56

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-049 | mtflying.com

KY01-050

75 mm lift-slide lock groove



Nominal wall: Confirm
Catalogue weight: 0.28 kg/m
Section: 33.5 mm
S6: PDF page 29, printed pages 55-56

Legacy catalogue entry; current availability and compatibility require confirmation.




Model reference: KY01-050 | mtflying.com

KY01-055

Double-track top track

DZ-L2240(1.1mm)
KY01-043(1.4mm)
KY01-055(2.0mm)

Double Top Track



Nominal wall: 2.0 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.


Model reference: KY01-055 | mtflying.com

KY01-056

Double-track bottom track

KY01-071(1.2mm)
KY01-003F(1.4mm)
KY01-056(2.0mm)

Double Bottom Track




Nominal wall: 2.0 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-056 | mtflying.com

KY01-057

Double-track side seal

KY01-072(1.2mm) KY01-001(1.4mm) KY01-057(2.0mm)	Double Side Seal	


Nominal wall: 2.0 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-057 | mtflying.com

KY01-058

Triple-track top track

DZ-L2241(1.2mm) KY01-044(1.4mm) KY01-058(2.0mm)	Triple Top Track	


Nominal wall: 2.0 mm
Catalogue weight: Confirm
Section: See source drawing
S1: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-058 | mtflying.com

KY01-059

Triple-track bottom track

KY01-074(1.2mm) KY01-014F(1.4mm) KY01-059(2.0mm)	Triple Bottom Track	


Nominal wall: 2.0 mm
Catalogue weight: Confirm
Section: See source drawing
S1: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-059 | mtflying.com

KY01-062

Bottom-track connector

KY01-062(1.3mm)	Bottom-Track Connecter Profile	


Nominal wall: 1.3 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-062 | mtflying.com

KY01-067F

65 mm sash

KY01-076(1.6mm) KY01-019(2.0mm) KY01-020(3.0mm) KY01-035(5.0mm) KY01-067F(1.4mm)	65 mm Sash	


Nominal wall: 1.4 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-067F | mtflying.com

KY01-068

75 mm sash

KY01-068(1.4mm) KY01-021(3.0mm))	75 mm Sash	


Nominal wall: 1.4 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-068 | mtflying.com

KY01-069

52 mm sash

KY01-069(1.4mm) KY01-030(3.0mm) KY01-034(5.0mm)	52 mm Sash	


Nominal wall: 1.4 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-069 | mtflying.com

KY01-071

Double-track bottom track

KY01-071(1.2mm) KY01-003F(1.4mm) KY01-056(2.0mm)	Double Bottom Track	


Nominal wall: 1.2 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-071 | mtflying.com

KY01-072

Double-track side seal

KY01-072(1.2mm) KY01-001(1.4mm) KY01-057(2.0mm)	Double Side Seal	

Nominal wall: 1.2 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.


Model reference: KY01-072 | mtflying.com

KY01-074

Triple-track bottom track

KY01-074(1.2mm)
KY01-014F(1.4mm)
KY01-059(2.0mm)

Triple Bottom Track



Nominal wall: 1.2 mm
Catalogue weight: Confirm
Section: See source drawing
S1: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.


Model reference: KY01-074 | mtflying.com

KY01-075

Triple-track side seal

KY01-075（1.2mm）
KY01-012（1.4mm）
KY01-042（2.0mm）
KY01-037（1.4mm）
KY01-036（1.4mm）

Triple Side Seal



Nominal wall: 1.2 mm
Catalogue weight: Confirm
Section: See source drawing
S1: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.


Model reference: KY01-075 | mtflying.com

KY01-076

65 mm sash

KY01-076(1.6mm)
KY01-019(2.0mm)
KY01-020(3.0mm)
KY01-035(5.0mm)
KY01-067F(1.4mm)

65 mm Sash



Nominal wall: 1.6 mm
Catalogue weight: Confirm
Section: See source drawing
S3: PDF page 1

Nominal catalogue data; not a production tolerance or load rating.

Model reference: KY01-076 | mtflying.com